The New Ford

Transit Van



Find

## **Transit Van**

	Transit Van 350 LWB
Engine	
2.0L Duratorq TDCi Engine	S
Power – Maxium	121 kW
Torque – Maximum	390 Nm
Cyclinders Auto Stars (Chart	4
Auto Stop/Start	S
Transmissions 8 - Speed Automatic	S
Rotary Shifter	<u>5</u> S
Driveline	3
Wheelbase	LWB
4 Drive Modes: Normal,Eco, Tow/haul, Slippery	S
Fuel, Economy & Emissions	
Fuel type	Diesel
Fuel Tank Capacity(L)	70
Combined Fuel Economy(ℓ/100km)	7.6
CO <sub>2</sub> Emission: Combined (g/km)*	201
Adblue Injecter	S
Brakes	
Front and Rear Disc Brakes	S
Emergency Brake Warning	S
Anti-lock Bracking System (ABS) with Electronic Brakeforce Distribution (EBD)	S
Emergency Brake Assist (EBA)	
Suspension & Steering Front: Independent Rear Suspension	<u> </u>
Power Assisted Steering	SS
Wheels	5
Wheel Size	235/65 R16
Wheel Type	Steel
Exterior Design Features	5.66.
Rear Twin Barn Doors no Windows (Wide Opening)	S
Single Side Load Door	S
Seating	
Number of Seats	3
Cloth Seats	S
Driver 2-Way Manual Seat	S
Driver Arm Rest	S S
Driver Arm Rest Lighting	S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)	S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling	S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting	S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity	S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display	S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display	S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass	S S S S S 8" S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health	S S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass	S S S S S 8" S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings	S S S S 8" S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4	S S S S 8" S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM	S S S S 8" S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System	S S S S 8" S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modern Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Loadspace Compartment	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4 Radio With Single AM/FM 4 Speaker Audio System  USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet  Comfort & Convenience Cup Holders  Steering-wheel-mounted audio controls  Loadspace Compartment Load space lighting	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling Loadspace Lighting  Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modem Connected to FordPass FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC®4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Loadspace Compartment Load space lighting Load compartment floor tie-down hooks	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect — featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Loadspace Compartment  Load space lighting  Load compartment floor tie-down hooks  Safety & Security	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect — featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Load space lighting  Load compartment floor tie-down hooks  Safety & Security  Driver airbag	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modem Connected to FordPass FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Allerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC®4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet  Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Loadspace Compartment Load space lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP)	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling Loadspace Lighting  Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modem Connected to FordPass FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC®4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Load space Lighting Load compartment Load compartment floor tie-down hooks Safety & Security Driver alrbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA)	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display  Embedded Modern Connected to FordPass FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet  Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls  Loadspace Compartment Load space lighting Load compartment floor tie-down hooks  Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps – Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 Inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect – featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Load space Lighting  Load compartment  Load space Lighting  Load compartment floor tie-down hooks  Safety & Security  Driver airbag  Electronic Stability Programme (ESP)  Hill Launch Assist (HLA)  Traction control  Rollover Mitigation (ROM)	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 Inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect — featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC®4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth® and Voice Control  Auxiliary 12V Power Outlet  Comfort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Load space Lighting  Load compartment floor tie-down hooks  Safety & Security  Driver airbag  Electronic Stability Programme (ESP)  Hill Launch Assist (HLA)  Traction control  Rollover Mitigation (ROM)  Centre high-mounted rear stop lamp	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest Lighting Headlamps — Halogen Reflector Lights (quad-beam) Manual Headlamp Levelling Loadspace Lighting Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modern Connected to FordPass FordPass Connect — featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC°4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxillary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Loadspace Compartment Load space lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control Rollover Mitigation (ROM) Centre high-mounted rear stop lamp Power door locks	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest  Lighting  Headlamps — Halogen Reflector Lights (quad-beam)  Manual Headlamp Levelling  Loadspace Lighting  Audio, Communication & Connectivity  12 inch Colour Multi-Function Touch Screen Display  Digital Instrument Cluster with Configurable Display  Embedded Modem Connected to FordPass  FordPass Connect — featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health  Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings  SYNC*4  Radio With Single AM/FM  4 Speaker Audio System  USB Port  Bluetooth* and Voice Control  Auxiliary 12V Power Outlet  Confort & Convenience  Cup Holders  Steering-wheel-mounted audio controls  Loadspace Compartment  Load space lighting  Load compartment floor tie-down hooks  Safety & Security  Driver airbag  Electronic Stability Programme (ESP)  Hill Launch Assist (HLA)  Traction control  Rollover Mitigation (ROM)  Centre high-mounted rear stop lamp  Power door locks  Door entry remote	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest Lighting Headlamps - Halogen Reflector Lights (quad-beam) Manual Headlamp Levelling Loadspace Lighting Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modem Connected to FordPass FordPass Connect - featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC®4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth® and Voice Control Auxiliary 12V Power Outlet Confort & Convenience Cup Holders Steering-wheel-mounted audio controls Load space Lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control Rollover Mitigation (ROM) Centre high-mounted vith lock/unlock switch	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest Lighting Headlamps - Halogen Reflector Lights (quad-beam) Manual Headlamp Levelling Loadspace Lighting Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modern Connected to FordPass FordPass Connect - featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC*4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth* and Voice Control Auxiliary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Load space Lighting Load compartment Load space lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control Rollover Mitigation (ROM) Centre high-mounted rear stop lamp Power door locks Door entry remote Rear doors mounted with lock/unlock switch Drive-away locking with crash unlocking	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest Lighting Headlamps - Halogen Reflector Lights (quad-beam) Manual Headlamp Levelling Loadspace Lighting Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modem Connected to FordPass FordPass Connect - featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC*4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth* and Voice Control Auxiliary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Loadspace Compartment Load space lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control Rollover Mitigation (ROM) Centre high-mounted rear stop lamp Power door locks Door entry remote Rear doors mounted with lock/unlock switch Drive-away locking with crash unlocking Door auto-relockling enabled	S S S S S S S S S S S S S S S S S S S
Driver Arm Rest Lighting Headlamps - Halogen Reflector Lights (quad-beam) Manual Headlamp Levelling Loadspace Lighting Audio, Communication & Connectivity 12 inch Colour Multi-Function Touch Screen Display Digital Instrument Cluster with Configurable Display Embedded Modern Connected to FordPass FordPass Connect - featuring Remote Start (AT only), Lock / Unlock, Vehicle Locator, Vehicle Health Alerts, Vehicle Status Oil Life, Enhanced Customer Connectivity Settings SYNC*4 Radio With Single AM/FM 4 Speaker Audio System USB Port Bluetooth* and Voice Control Auxiliary 12V Power Outlet Comfort & Convenience Cup Holders Steering-wheel-mounted audio controls Load space Lighting Load compartment floor tie-down hooks Safety & Security Driver airbag Electronic Stability Programme (ESP) Hill Launch Assist (HLA) Traction control Rollover Mitigation (ROM) Centre high-mounted rear stop lamp Power door locks Door entry remote Rear doors mounted with lock/unlock switch Drive-away locking with crash unlocking	S S S S S S S S S S S S S S S S S S S

	Transit Van 350 LWB
river Assistance Package with 360-degree Camera	
ligh-Mounted LED Downlight	0
Oual Exteriior Power Mirror Power Fold Back	0
ollision Mitigation System 3 Level 2	0
daptive Speed Control	0
LIS	0
ane Changing Warning & Aid	0
everse Parking Aid	0
ront Parking Aid arking Slot Aid	O O
everse Brake Assist	0
CE Pack 3	0
ront/Side/Rear View Camera	0
ront Fog Lamps	0
elivery Assist Package	
lose Assist Side Door	0
erbside Load Doors	0
eyless Entry/Start	0
larketing CV Pack #1	
omplete Rear Trim Board	S
ingle Side Load Door Single Side Load Door	S
erbside Load Door oad Floor Liner-Molded	S
	SS
xtended Range Single FU/TNK  Uptions	3
railer Tow Attachments	S
Marketing CV Pack 1	
extra heavy duty batteries	0
Manual Aircon	S
aint Colours	
Maximum Braked Towing Capacity (kg)	2500
railer Tow Electrics	-
railer Light Check	-
Recovery Hooks	S
Paint Colours	
rozen White	S
ehicle Masses (kg) Pross Vehicle Mass (GVM) (kg)	3,500
Fross Combined Mass (GCM) (kg)	6,000
uel Tank Capacity (L)	80
erb Weight (kg)	1,900
iross Payload (kg)	1,325
owing Mass (Braked) (kg)	2,800
0 ( ) ( )	· · · · · · · · · · · · · · · · · · ·
owing Mass (Unbraked) (kg)	750
	750
xterior Dimensions(mm)	750 5,981
xterior Dimensions(mm)  verall Length (mm)	
xterior Dimensions(mm) Overall Length (mm) Overall Width – With Mirrors (mm)	5,981
overall Length (mm) Overall Width – With Mirrors (mm) Wheel Base (mm) Whitel Boor Width (mm)	5,981 2,059 3,750 1,300
xterior Dimensions(mm) Overall Length (mm) Overall Width – With Mirrors (mm) Wheel Base (mm) Iliding Door Width (mm) Iliding Door Aperture height (mm)	5,981 2,059 3,750 1,300 1,700
xterior Dimensions(mm) Overall Length (mm) Overall Width — With Mirrors (mm) Wheel Base (mm) Iliding Door Width (mm) Iliding Door Aperture height (mm) Ivear Door Width (mm)	5,981 2,059 3,750 1,300 1,700 1,565
xterior Dimensions(mm)  Averall Length (mm)  Averall Width — With Mirrors (mm)  Averall Base (mm)  Iliding Door Width (mm)  Iliding Door Aperture height (mm)  ear Door Width (mm)  ear Door Aperture height (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748
xterior Dimensions(mm)  Averall Length (mm)  Averall Width — With Mirrors (mm)  Averall Width — With Mirrors (mm)  Averall Base (mm)  Iliding Door Width (mm)  Iliding Door Aperture height (mm)  ear Door Width (mm)  ear Door Aperture height (mm)  ront Track (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732
xterior Dimensions(mm) Overall Length (mm) Overall Width — With Mirrors (mm) Wheel Base (mm) Uliding Door Width (mm) Uliding Door Aperture height (mm) Overall Word Aperture height (mm) Overall Width (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748
xterior Dimensions(mm)  Overall Length (mm)  Overall Width — With Mirrors (mm)  Wheel Base (mm)  Iliding Door Width (mm)  Iliding Door Aperture height (mm)  Ivear Door Width (mm)  Ivear Door Aperture height (mm)  Ivear Track (mm)  Ivear Track (SRW) (mm)  Interior Dimensions(mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732
xterior Dimensions(mm)  verall Length (mm)  verall Width – With Mirrors (mm)  /heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Width (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  sterior Dimensions(mm)  lax Load Length @ Floor (no Bulkhead) (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743
xterior Dimensions(mm)  verall Length (mm)  verall Width – With Mirrors (mm)  /heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Width (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  aterior Dimensions(mm)  lax Load Length @ Floor (no Bulkhead) (mm)  lax Load Length @ floor (with Bulkhead) (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743
verall Length (mm) verall Length (mm) verall Width – With Mirrors (mm) //heel Base (mm) liding Door Width (mm) liding Door Aperture height (mm) ear Door Width (mm) ear Door Aperture height (mm) ront Track (mm) ear Track (SRW) (mm) verall Video (S	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900
verall Length (mm) verall Length (mm) verall Width – With Mirrors (mm) //heel Base (mm) liding Door Width (mm) liding Door Aperture height (mm) ear Door Width (mm) ear Door Aperture height (mm) ront Track (mm) ear Track (SRW) (mm) verar Track (SRW) (mm) ax Load Length @ Floor (no Bulkhead) (mm) ax Load Length @ floor (with Bulkhead) (mm) ax Load Length @ 1.2m high (with Bulkhead) (mm) ax Load Width (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743
verall Length (mm) verall Length (mm) verall Width – With Mirrors (mm)  //heel Base (mm) iding Door Width (mm) iding Door Aperture height (mm) ear Door Width (mm) ear Door Aperture height (mm) ear Track (mm) ear Track (SRW) (mm) terior Dimensions(mm) ax Load Length @ Floor (no Bulkhead) (mm) ax Load Length @ floor (with Bulkhead) (mm) ax Load Length @ 1.2m high (with Bulkhead) (mm) ax Load Width (mm) bad Space Between Wheel Arches (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784
verall Length (mm) verall Length (mm) verall Width – With Mirrors (mm)  Theel Base (mm) iding Door Width (mm) iding Door Aperture height (mm) ear Door Width (mm) ear Door Aperture height (mm) ont Track (mm) ear Track (SRW) (mm) terior Dimensions(mm) ax Load Length @ Floor (no Bulkhead) (mm) ax Load Length @ floor (with Bulkhead) (mm) ax Load Length @ 1.2m high (with Bulkhead) (mm) ax Load Space Between Wheel Arches (mm) bad Space Between Wheel Arches (mm) bad Floor to Roof (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392
verall Length (mm)  verall Length (mm)  verall Width – With Mirrors (mm)  //heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  verior Dimensions(mm)  ax Load Length @ Floor (no Bulkhead) (mm)  ax Load Length @ floor (with Bulkhead) (mm)  ax Load Length @ 1.2m high (with Bulkhead) (mm)  ax Load Width (mm)  bad Space Between Wheel Arches (mm)  bad Space Between Wheel Arches (mm)  bad Space (Max Load) (m³)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886
xterior Dimensions (mm)  verall Length (mm)  verall Width – With Mirrors (mm)  /heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  aterior Dimensions (mm)  lax Load Length @ Floor (no Bulkhead) (mm)  lax Load Length @ floor (with Bulkhead) (mm)  lax Load Length @ 1.2m high (with Bulkhead) (mm)  lax Load Width (mm)  bad Space Between Wheel Arches (mm)  bad Space Between Wheel Arches (mm)  bad Space (Max Load) (m³)  badspace (SAE Method) (m³)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10
xterior Dimensions(mm)  verall Length (mm)  verall Width – With Mirrors (mm)  /heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  aterior Dimensions(mm)  lax Load Length @ Floor (no Bulkhead) (mm)  lax Load Length @ floor (with Bulkhead) (mm)  lax Load Length @ 1.2m high (with Bulkhead) (mm)  lax Load Width (mm)  pad Space Between Wheel Arches (mm)  padspace (Max Load) (m³)  padspace (SAE Method) (m³)  padspace (SAE Method) (m³)  pae Clearance (mm)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1
xterior Dimensions (mm)  verall Length (mm)  verall Width – With Mirrors (mm)  /heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ear Door Aperture height (mm)  ront Track (mm)  ear Track (SRW) (mm)  aterior Dimensions (mm)  lax Load Length @ Floor (no Bulkhead) (mm)  lax Load Length @ floor (with Bulkhead) (mm)  lax Load Length @ 1.2m high (with Bulkhead) (mm)  lax Load Width (mm)  bad Space Between Wheel Arches (mm)  bad Space (Max Load) (m³)  badspace (SAE Method) (m³)  nee Clearance (mm)  badspace (VDA Method) (m³)	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1
Axterior Dimensions (mm)  Averall Length (mm)  Averall Width — With Mirrors (mm)  Alled Base (mm)  Iliding Door Width (mm)  Iliding Door Aperture height (mm)  Bear Door Aperture height (mm)  Bear Door Aperture height (mm)  Bear Track (mm)  Bear Track (SRW) (mm)  Bear Load Length @ Floor (no Bulkhead) (mm)  Blax Load Length @ floor (with Bulkhead) (mm)  Blax Load Length @ 1.2m high (with Bulkhead) (mm)  Blax Load Width (mm)  Boad Space Between Wheel Arches (mm)  Boad Space (Max Load) (m³)  Boadspace (SAE Method) (m³)  Boadspace (VDA Method) (m³)  Boadspace (VDA Method) (m³)  Boadspace (VDA Method) (m³)  Boadspace (Intervals	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1 32 9,3
verall Length (mm)  verall Length (mm)  verall Width – With Mirrors (mm)  //heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ear Door Aperture height (mm)  ear Track (mm)  ear Track (sRW) (mm)  ear Track (sRW) (mm)  lax Load Length @ Floor (no Bulkhead) (mm)  lax Load Length @ floor (with Bulkhead) (mm)  lax Load Length @ 1.2m high (with Bulkhead) (mm)  lax Load Width (mm)  bad Space Between Wheel Arches (mm)  bad Space (Max Load) (m³)  badspace (SAE Method) (m³)  nee Clearance (mm)  badspace (VDA Method) (m³)  bord Protect  ervice intervals  bord Optional Service Plan: 6 year or 90 000km	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1 32 9,3
verall Length (mm)  verall Length (mm)  verall Width – With Mirrors (mm)  //heel Base (mm)  liding Door Width (mm)  liding Door Aperture height (mm)  ear Door Aperture height (mm)  ear Door Aperture height (mm)  ear Track (mm)  ear Track (SRW) (mm)  ear Track (SRW) (mm)  ax Load Length @ Floor (no Bulkhead) (mm)  ax Load Length @ floor (with Bulkhead) (mm)  ax Load Length @ 1.2m high (with Bulkhead) (mm)  ax Load Width (mm)  bad Space Between Wheel Arches (mm)  bad Space (Max Load) (m³)  badspace (Max Load) (m³)  badspace (SAE Method) (m³)  badspace (VDA Method) (m³)  bardspace (VDA Method) (m³)  bardspace (vDA Method) (m³)  bard Optional Service Plan: 6 year or 90 000km  //arranty and Roadside Assistance	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1 32 9,3
Acterior Dimensions (mm)  Averall Length (mm)  Averall Length (mm)  Averall Width — With Mirrors (mm)  Albeel Base (mm)  Aiding Door Width (mm)  Bear Door Aperture height (mm)  Bear Door Aperture height (mm)  Bear Door Aperture height (mm)  Bear Track (mm)  Bear Track (SRW) (mm)  Cart Track (sRW) (mm)  Cart Track (sRW) (mm)  Cart Load Length (man)  Cart Load Lengt	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1 32 9,3 15 000 km O
Towing Mass (Unbraked) (kg) Exterior Dimensions (mm)  Diverall Length (mm)  Diverall Length (mm)  Wheel Base (mm)  Silding Door Width (mm)  Silding Door Aperture height (mm)  Rear Door Aperture height (mm)  Front Track (mm)  Rear Track (SRW) (mm)  Interior Dimensions (mm)  Max Load Length @ Floor (no Bulkhead) (mm)  Max Load Length @ floor (with Bulkhead) (mm)  Max Load Ungth @ 1.2m high (with Bulkhead) (mm)  Max Load Space Between Wheel Arches (mm)  Load Space Between Wheel Arches (mm)  Load Space (Max Load) (m³)  Loadspace (SAE Method) (m³)  Condespace (VDA Method) (m³)  Ford Protect  Service intervals  Ford Optional Service Plan: 6 year or 90 000km  Max Load sasistance: 4 years / unlimited km  Corrosion warranty: 5 years / unlimited km	5,981 2,059 3,750 1,300 1,700 1,565 1,748 1,732 1,743 3,200 3,044 2,900 1,784 1,392 1,886 10 9,1 32 9,3

## Contact us

If you have any questions or concerns, please contact our **Customer Relationship Centre** on Tel: 0860 011 022 or email fordcrc2@ford.com

## Running a fleet?

Our Ford Fleet team is here to assist you in any way we can.

Please email fleetsa@ford.com

The information contained in this brochure is an overview intended for awareness purposes only. Visuals may show specifications, accessories and/or options that may appear different to actual items.

All information, specifications and illustrations are based on the latest product information available at the time of publication.

FMCSA reserves the right to make changes at any time, without notice, to the colours, material, equipment, specifications and models, and is not responsible for typographical errors.

Such changes may affect vehicle pricing and vehicle content.

Discover more at ford.co.za









