

READY FOR ANYTHING

Drive with confidence.



NEW ISUZU
MU-X
Comfortable Everywhere

Introducing the **NEW ISUZU MU-X**

www.isuzu.co.za f X i in

ISUZU
With you, for the long run



ISUZU's dedication to innovation and excellence continues with the arrival of the new ISUZU MU-X ONYX XT. Designed for those who are ready for more, this premium SUV blends bold styling with advanced technology to deliver an enhanced driving experience. Its refreshed exterior details, including a redesigned front and rear, a sleek new ISUZU badge, and striking headlamps, ensure the MU-X ONYX XT commands attention on every road.

Inside, the refined interior offers an elevated sense of comfort and sportiness, featuring distinctive red seat stitching. While the new ISUZU MU-X ONYX XT is the perfect blend of style, capability, and confidence; it's built to be ready for anything.

ISUZU MU-X SPECIFICATIONS

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|---|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| ENGINE | RZ4E-MID | 4JJ3 | 4JJ3 | 4JJ3 | 4JJ3 | 4JJ3 |
| Displacement (cc) | 1 899 | 2 999 | 2 999 | 2 999 | 2 999 | 2 999 |
| No. of Cylinders | 4 | 4 | 4 | 4 | 4 | 4 |
| Compression Ratio | 16.5:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 |
| Bore X Stroke (mm) | 80 x 94.4 | 95.4 x 104.9 | 95.4 x 104.9 | 95.4 x 104.9 | 95.4 x 104.9 | 95.4 x 104.9 |
| No. of Valves | 16 | 16 | 16 | 16 | 16 | 16 |
| Power (kW) @ r/min | 110 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 | 140 @ 3 600 |
| Torque (Nm) @ r/min | 350 @ 1 800-2 600 | 450 @ 1 600-2 600 | 450 @ 1 600-2 600 | 450 @ 1 600-2 600 | 450 @ 1 600-2 600 | 450 @ 1 600-2 600 |
| Turbocharger | Standard | Standard | Standard | Standard | Standard | Standad |
| 800mm Water Depth Protection | Standard | Standard | Standard | Standard | Standard | Standard |
| Pre-Air Cleaner | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG (120 A) | Standard | Standard | Standard | Standad | Standard | Standard |
| ACG with IBS (Intelligent Battery System) | Standard | Standard | Standard | Standard | Standard | Standard |
| Intercooler | Standard | Standard | Standard | Standard | Standard | Standard |

| FUEL CONSUMPTION¹ | | | | | | |
|-------------------------------|--------|--------|--------|--------|--------|--------|
| Combined Cycle (Litres/100km) | 7 | 7.6 | TBD | 7.6 | 7.6 | 7.6 |
| Combined CO₂ Emissions (g/km) | 185 | 199 | TBD | 199 | 200 | 200 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |

| TRANSMISSION | | | | | | |
|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Transmission Type | 6 Speed Automatic | 6 Speed Automatic | 6 Speed Automatic | 6 Speed Automatic | 6 Speed Automatic | 6 Speed Automatic |
| Gear Ratio: 1st | 3,600 | 3,600 | 3,600 | 3,600 | 3,600 | 3,600 |
| Gear Ratio: 2nd | 2,090 | 2,090 | 2,090 | 2,090 | 2,090 | 2,090 |
| Gear Ratio: 3rd | 1,488 | 1,488 | 1,488 | 1,488 | 1,488 | 1,488 |
| Gear Ratio: 4th | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 |
| Gear Ratio: 5th | 0,687 | 0,687 | 0,687 | 0,687 | 0,687 | 0,687 |
| Gear Ratio: 6th | 0,580 | 0,580 | 0,580 | 0,580 | 0,580 | 0,580 |
| Gear Ratio: Reverse | 3,732 | 3,732 | 3,732 | 3,732 | 3,732 | 3,732 |
| 4WD Selector | - | - | Standard | - | Standard | Standard |
| Low Range Ratio | - | - | - | - | - | - |

| FRONT DIFFERENTIAL | | | | | | |
|-------------------------|---|---|-------|---|-------|-------|
| Differential Lock | - | - | - | - | - | - |
| Axle Ratio: Final Drive | - | - | 3.727 | - | 3.727 | 3.727 |

| REAR DIFFERENTIAL | | | | | | |
|-------------------------|----------|----------|----------|----------|----------|----------|
| Differential Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| Axle Ratio: Final Drive | 4,1 | 3.727 | 3.727 | 3.727 | 3.727 | 3.727 |

| CHASSIS DESIGN | | | | | | |
|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Wheel Suspension Front | Independent High-ride Coil | Independent High-ride Coil | Independent High-ride Coil | Independent High-ride Coil | Independent High-ride Coil | Independent High-ride Coil |
| Wheel Suspension Rear | Multi-link Coil | Multi-link Coil | Multi-link Coil | Multi-link Coil | Multi-link Coil | Multi-link Coil |
| Shock Absorbers | Gas | Gas | Gas | Gas | Gas | Gas |
| High Ride Suspension | Standard | Standard | Standard | Standard | Standard | Standard |
| Skid Plate Guard | Standard | Standard | Standard | Standard | Standard | Standad |
| Engine Sump Guard | Standard | Standard | Standard | Standard | Standard | Standard |

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|-----------------------|----------------|----------------|----------------|-----------------|-----------------|---------------------|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| CHASSIS DESIGN (CONT) | | | | | | |
| Transfer Case Guard | - | - | Standard | - | Standard | Standard |
| Oil Pan Guard | Standard | Standard | Standad | Standard | Standard | Standard |

| | | | | | | |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------------------------|
| WHEELS & TYRES | | | | | | |
| Tyre Size | 265/60R18 | 265/60R18 | 265/60R18 | 265/60R18 | 265/60R18 | 265/50R20 |
| Wheels Size / Type | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy XT Styling 20" x 7.5J-33 |
| Spare Wheel | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 18" x 7.5J-33 | Alloy 20" x 7.5J-33 |
| Turning Circle (m) | 11.4 | 11.4 | 11.4 | 11.4 | 11.4 | 11.4 |
| Tyre-Pressure Monitoring Sensor | - | - | - | Standard | Standard | Standard |

| | | | | | | |
|-------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| DIMENSIONS | | | | | | |
| Length (mm) | 4 850 | 4 850 | 4 850 | 4 850 | 4 850 | 4 850 |
| Width (mm) | 1 870 | 1 870 | 1 870 | 1 870 | 1 870 | 1 870 |
| Height (mm) | 1 820 | 1 820 | 1 820 | 1 825 | 1 825 | 1 825 |
| Wheelbase (mm) | 2 855 | 2 855 | 2 855 | 2 855 | 2 855 | 2 855 |
| Track Front / Rear (mm) | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 | 1 570 / 1 570 |
| Front Overhang (mm) | 895 | 895 | 895 | 895 | 895 | 895 |
| Rear Overhang (mm) | 1 100 | 1 100 | 1 100 | 1 100 | 1 100 | 1 100 |
| Ground Clearance (mm) | 235 | 235 | 235 | 235 | 235 | 235 |
| Approach Angle (°) | 30,0 | 30,0 | 30,0 | 30,0 | 30,0 | 30,0 |
| Departure Angle (°) | 26,0 | 26,0 | 26,0 | 26,0 | 26,0 | 26,0 |
| Breakover Angle (°) | 24,0 | 24,0 | 24,0 | 24,0 | 24,0 | 24,0 |
| Wading Depth (mm) | 800 | 800 | 800 | 800 | 800 | 800 |

| | | | | | | |
|--|-------|-------|-------|-------|-------|-------|
| MASS / CAPACITY | | | | | | |
| Gross Axle Mass – Front (GA1) (kg) | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 | 1 450 |
| Gross Axle Mass – Rear (GA2) (kg) | 1 650 | 1 650 | 1 650 | 1 650 | 1 650 | 1 650 |
| Gross Vehicle Mass (GVM) (kg) | 2 700 | 2 700 | 2 800 | 2 700 | 2 800 | 2 800 |
| Gross Combined Mass (GCM) (kg) | 4 800 | 5 900 | 5 900 | 5 900 | 5 900 | 5 900 |
| Tare Mass (kg) | 1 905 | 1 980 | TBD | 1980 | 2080 | 2110 |
| Payload (kg) | 734 | 659 | TBD | 659 | 659 | 629 |
| Towing Capacity (kg): Unbraked Trailer ² | 750 | 750 | 750 | 750 | 750 | 750 |
| Towing Capacity / Rating (kg): Braked Trailer ² | 2 100 | 3 500 | 3 500 | 3 500 | 3 500 | 3 500 |
| Fuel Tank Capacity (Litres) ¹ | 80 | 80 | 80 | 80 | 80 | 80 |

| | | | | | | |
|---|----------|----------|----------|----------|----------|----------|
| SAFETY FEATURES | | | | | | |
| Anti-Lock Braking System (ABS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Brake-Force Distribution (EBD) | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Assist System (BAS) | Standard | Standard | Standard | Standard | Standard | Standard |

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|--|----------------|----------------|----------------|-----------------|-----------------|---------------------|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| SAFETY FEATURES (CONT) | | | | | | |
| Brake-Override Accelerator (BOA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Stability Control (ESC) with Traction Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Start Assist (HSA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Descent Control (HDC) | Standard | Standard | Standard | Standard | Standard | Standard |
| Trailer Sway Control | Standard | Standard | Standard | Standard | Standad | Standard |
| Multi-Collision Braking System | - | - | - | - | - | Standard |
| Cruise Control | Standard | Standard | Standard | Standard | Standard | Standard / Adaptive |
| Height-Adjustable 3-Point Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Seatbelt Pre-Tensioners | Standard | Standard | Standard | Standard | Standard | Standard |
| Occupant Detection Sensor | Passengers | Passengers | Passengers | Passengers | Passengers | Passengers |
| Driver & Front Passenger Airbags | Standard | Standad | Standard | Standard | Standard | Standard |
| Front Seat Side Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Curtain Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Knee Airbag | Driver | Driver | Driver | Driver | Driver | Driver |
| Far Side Airbag | - | - | - | - | - | Standard |
| Side-Impact Bars (Front & Rear Doors) | Standard | Standard | Standard | Standard | Standard | Standard |
| Improve Side Pole Impact | - | - | - | - | - | Standard |
| Collapsible Steering Column | Standard | Standard | Standard | Standard | Standard | Standard |
| Speed Sensitive Door Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| ISOFIX Child-Seat Attachment | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear View Camera | Standard | Standard | Standard | - | - | - |
| Front Camera | - | - | - | - | - | Standard |
| Surround View Camera | - | - | - | Standard | Standard | Standard |
| Parking Distance Sensors | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear |
| Emergency Stop Signal | Standard | Standard | Standard | Standard | Standard | Standard |
| Blind Spot Monitor | - | - | - | Standard | Standard | Standard |
| Rear Cross Traffic Alert | - | - | - | Standard | Standard | Standard |
| Rear Cross Traffic Braking | - | - | - | - | - | Standard |
| Rear Radar | - | - | - | Standard | Standard | Standard |
| Autonomous Emergency Brake | - | - | - | - | - | Standard |
| Forward Collision Warning | - | - | - | - | - | Standard |
| Pedal Misapplication Mitigation | - | - | - | - | - | Standard |
| Manual Speed Limiter | - | - | - | - | - | Standard |
| Lane Departure Warning | - | - | - | - | - | Standard |
| Lane Keep Assist | - | - | - | - | - | Standard |
| Lane Departure Prevention | - | - | - | - | - | Standard |
| Driver Monitoring | - | - | - | - | - | Standard |
| Electric Park Brake | Standard | Standard | Standard | Standard | Standard | Standard |

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|-----------------------------------|----------------|----------------|----------------|-----------------|-----------------|---------------------|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| SECURITY FEATURES | | | | | | |
| Remote Controlled Central Locking | - | - | - | - | - | - |
| Remote Start Engine | - | - | - | Standard | Standard | Standard |
| Passive Entry Start System (PESS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Remote Key Auto Re-lock | Standard | Standard | Standard | Standard | Standard | Standard |
| Anti-theft Alarm System | Standard | Standard | Standard | Standard | Standard | Standard |
| Transponder Immobiliser System | Standard | Standard | Standard | Standard | Standard | Standard |
| Selectable Door Unlock | Standard | Standard | Standard | Standard | Standard | Standard |
| Walk Away Auto Door Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| Telematics | Accessory | Accessory | Accessory | Accessory | Accessory | - |

| INTERIOR / EXTERIOR LIGHTING | | | | | | |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Front Reading Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Interior Courtesy Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Door Trim Panel Ambient Lighting | - | - | - | - | - | Standard |
| Luggage Lamp | Standard | Standard | Standard | Standard | Standard | Standard |
| Foot Lamp (Driver & Assist) | - | - | - | - | - | Standard |
| Front Fog Lights | Standard, LED | Standard, LED | Standard, LED | Standard, LED | Standard, LED | Standard, LED |
| Daytime Running Lights (DRL) | LED | LED | LED | LED | LED | LED |
| Headlights | Bi-LED | Bi-LED | Bi-LED | Bi-LED | Bi-LED | Bi-LED |
| Headlights 'ON' Warning Buzzer | Standard | Standard | Standard | Standard | Standard | Standard |
| Headlamp Levelling | Automatic | Automatic | Automatic | Automatic | Automatic | Automatic |
| Automatic ON/OFF Headlamp | Standard | Standard | Standard | Standard | Standard | Standard |
| Automatic High Beam | - | - | - | - | - | Standard |
| Rear LED Combination Taillights | Standard | Standard | Standard | Standard | Standard | Standard |
| High Mounted Centre Stop Light | LED | LED | LED | LED | LED | LED |
| Rear Fog Lamps | LED | LED | LED | LED | LED | LED |
| Follow-Me-Home Headlamps | Standard | Standard | Standard | Standard | Standard | Standard |

| EXTERIOR FEATURES | | | | | | |
|-----------------------------|--|--|--|---|---|---|
| Front Wiper | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing |
| Radiator Grille Colour | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome |
| Front Bumper Colour | Gloss Black/ Body Colour | Gloss Black/ Body Colour | Gloss Black/ Body Colour | Gloss Black/ Body Colour | Gloss Black/ Body Colour | Gloss Black/Light Magnetite |
| Rear Bumper Colour | Body Colour/ Gloss Black | Body Colour/ Gloss Black | Body Colour/ Gloss Black | Body Colour/ Gloss Black | Body Colour/ Gloss Black | Body Colour/ Gloss Black/Light Magnetite |
| Exterior Door Handle Colour | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour |
| Exterior Mirrors | Body Colour, Power Adjust, Manual Fold, Side Indicator | Body Colour, Power Adjust, Manual Fold, Side Indicator | Body Colour, Power Adjust, Manual Fold, Side Indicator | Body Colour, Power Adjust, Power Fold, Side Indicator, Heated | Body Colour, Power Adjust, Power Fold, Side Indicator, Heated | Gloss Black w/Material Colour, Power Adjust, Power Fold, Side Indicator, Heated |
| B-Pillar Blackout | Standard | Standard | Standard | Standard | Standard | Standard |

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|--------------------------|------------------------------|--|--|--|--|--|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| EXTERIOR FEATURES (CONT) | | | | | | |
| Side Steps | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard Gloss Black |
| Mudflaps | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear |
| Roof Rails | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard/Very Dark Magnetite | Standard Gloss Black |
| Rear Spoiler | Standard | Standard | Standard | Standard | Standard | Standard |
| Lift Gate | Manual | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch |

| INTERIOR FEATURES | | | | | | |
|--|---|---|---|---|---|---|
| Power Assisted Steering (PAS) | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Electric |
| Steering Column Adjustment | Tilt & Telescopic | Tilt & Telescopic | Tilt & Telescopic | Tilt & Telescopic | Tilt & Telescopic | Tilt & Telescopic |
| Automatic Shift Paddles | - | - | - | Standard | Standard | Standard |
| Leather Steering Wheel with Multifunction Controls | Standard | Standard | Standard | Standard | Standard | Standard |
| Gear Knob Trim | Urethane/Black Paint | Urethane/Black Paint | Urethane/Black Paint | Leather/Piano Black | Leather/Piano Black | Leather/Piano Black |
| Seating Capacity | 7 | 7 | 7 | 7 | 7 | 7 |
| Front Seats Configuration | 2 x Bucket | 2 x Bucket | 2 x Bucket | 2 x Bucket Reclining | 2 x Bucket Reclining | 2 x Bucket Reclining |
| Second Row Seat Configuration | Bench 60:40 Fold-Flat | Bench 60:40 Fold-Flat | Bench 60:40 Fold-Flat | Bench 60:40 Fold-Flat | Bench 60:40 Fold-Flat | Bench 60:40 Fold-Flat |
| Third Row Seat Configuration | Bench 50:50 Fold-Flat | Bench 50:50 Fold-Flat | Bench 50:50 Fold-Flat | Bench 50:50 Fold-Flat | Bench 50:50 Fold-Flat | Bench 50:50 Fold-Flat |
| Seat Trim | Partial Leather | Partial Leather | Partial Leather | Partial Leather | Partial Leather | Partial Leather with Red Stitching |
| Seat Adjustment | Driver Power 8-way & Passenger Power 4-way | Driver Power 8-way & Passenger Power 4-way | Driver Power 8-way & Passenger Power 4-way | Driver Power 8-way & Passenger Power 4-way | Driver Power 8-way & Passenger Power 4-way | Driver Power 8-way & Passenger Power 4-way |
| Seat Belt Reminder | Driver & Passengers (Front & Rear) | Driver & Passengers (Front & Rear) | Driver & Passengers (Front & Rear) | Driver & Passengers (Front & Rear) | Driver & Passengers (Front & Rear) | Driver & Passengers (Front & Rear) |
| Rear Seat Centre Armrest | Standard w/ 2 Cupholders | Standard w/ 2 Cupholders | Standard w/ 2 Cupholders | Standard w/ 2 Cupholders | Standard w/ 2 Cupholders | Standard w/ 2 Cupholders |
| Storage Pockets Behind Front Seats | Standard | Standard | Standard | Standard | Standard | Standard |
| Heated Front Seats | - | - | - | - | - | Standard |
| Floor Trim | Carpet w/Heel Mat | Carpet w/Heel Mat | Carpet w/Heel Mat | Carpet w/Heel Mat | Carpet w/Heel Mat | Carpet w/Heel Mat |
| Door Garnish (Outer) | Piano Black | Piano Black | Piano Black | Piano Black | Piano Black | Silver Metallic |
| Door Garnish (I/S Handle Surrounding) | Warm Silver Metallic | Warm Silver Metallic | Warm Silver Metallic | Warm Silver Metallic | Warm Silver Metallic | Piano Black |
| Door Garnish (Inner) | Very Dark Magnetite | Very Dark Magnetite | Very Dark Magnetite | Very Dark Magnetite | Very Dark Magnetite | Piano Black |
| Driver Footrest | Standard | Standard | Standard | Standard | Standard | Standard |
| Air Conditioner | Manual w/Rear Cabin Cooling Vents | Manual w/Rear Cabin Cooling Vents | Manual w/Rear Cabin Cooling Vents | Auto (Climate Control) w/Rear Cabin Cooling Vents | Auto (Climate Control) w/Rear Cabin Cooling Vents | Auto (Climate Control) w/Rear Cabin Cooling Vents |
| Rear Heater Ducts | Standard | Standard | Standard | Standard | Standard | Standard |
| Rearview Mirror, Inside | Day/Night | Day/Night | Day/Night | Auto Dimming | Auto Dimming | Auto Dimming |
| Sun visor | Driver w/Ticket Holder & Passenger w/ Vanity Mirror | Driver w/Ticket Holder & Passenger w/ Vanity Mirror | Driver w/Ticket Holder & Passenger w/ Vanity Mirror | Driver & Passenger w/Vanity Mirror Light | Driver & Passenger w/Vanity Mirror Light | Driver & Passenger w/Vanity Mirror Light |
| Overhead Console with Sunglass Holder | Standard | Standard | Standard | Standard | Standard | Standard |
| Digital Clock | Standard | Standard | Standard | Standard | Standard | Standard |
| Multi Information Display (MID) | Standard, 7" with Decoration | Standard, 7" with Decoration | Standard, 7" with Decoration | Standard, 7" with Decoration | Standard, 7" with Decoration | Standard, 7" with Decoration |
| Dashboard Illumination Control | Standard | Standard | Standard | Standard | Standard | Standard |

| SMOD | M250X90 | M250X91 | M250X97 | M250X92 | M250X95 | M250X96 |
|--|---|---|---|---|---|---|
| MODELS | 1.9 LS A/T 4x2 | 3.0 LS A/T 4x2 | 3.0 LS A/T 4x4 | 3.0 LSE A/T 4x2 | 3.0 LSE A/T 4x4 | 3.0 ONYX XT A/T 4x4 |
| INTERIOR FEATURES (CONT) | | | | | | |
| Power Windows | All w/Driver One Touch, w/Jam Protection, w/Timer | All w/Driver One Touch, w/Jam Protection, w/Timer | All w/Driver One Touch, w/Jam Protection, w/Timer | All w/Driver One Touch, w/Jam Protection, w/Timer | All w/Driver One Touch, w/Jam Protection, w/Timer | All w/Driver One Touch, w/Jam Protection, w/Timer |
| Power Socket, Auxiliary 12V | 2 | 2 | 2 | 2 | 2 | 2 |
| Front and Rear USB Charge Ports | Standard | Standard | Standard | Standard | Standard | Standard |
| Power Socket, Auxiliary 220V | – | – | – | – | – | Standard |
| Glove Box, Lockable | Standard w/Illumination | Standard w/Illumination | Standard w/Illumination | Standard w/Illumination | Standard w/Illumination | Standard w/Illumination |
| Door Trim with Storage Pockets & Integrated Cupholders | Standard | Standard | Standard | Standard | Standard | Standard |
| Floor Tunnel / Console with Integrated Cupholder | Standard | Standard | Standard | Standard | Standard | Standard |
| Centre Console Storage Box with Lid | Standard | Standard | Standard | Standard | Standard | Standard |
| Storage Box | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Privacy Windows | Standard | Standard | Standard | Standard | Standard | Standard |
| Fixed Rear Window, with Defogger | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear Window Wiper | Standard | Standard | Standard | Standard | Standard | Standard |
| Ventilator Grille with Shutter (fin shut) | Standard | Standard | Standard | Standard | Standard | Standard |

| INFOTAINMENT | | | | | | |
|--------------------------------------|--|--|--|--|--|--|
| Audio System: | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi | 9” Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi |
| Audio Input Terminal: USB, Auxiliary | Standard | Standard | Standard | Standard | Standard | Standard |
| Number of Speakers | 6 | 6 | 6 | 8 | 8 | 8 |
| Steering Wheel Audio Controls | Standard | Standard | Standard | Standard | Standard | Standard |

| WARRANTY / SERVICE INTERVALS | | | | | | |
|--------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Warranty & Roadside Assistance | 5 Years / 120 000km | 5 Years / 120 000km | 5 Years / 120 000km | 5 Years / 120 000km | 5 Years / 120 000km | 5 Years / 120 000km |
| Anticorrosion Warranty | 5 Years / Unlimited km | 5 Years / Unlimited km | 5 Years / Unlimited km | 5 Years / Unlimited km | 5 Years / Unlimited km | 5 Years / Unlimited km |
| Service Plan | 5 Years / 90 000km | 5 Years / 90 000km | 5 Years / 90 000km | 5 Years / 90 000km | 5 Years / 90 000km | 5 Years / 90 000km |
| Service Intervals | 12 Months / 15 000km | 12 Months / 15 000km | 12 Months / 15 000km | 12 Months / 15 000km | 12 Months / 15 000km | 12 Months / 15 000km |

¹ Fuel economy and CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions, and the vehicle's equipment, condition and use.

² Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3.500kg its maximum Vehicle mass is 2.500kg in order to be within GCM).



MU-X LS A/T

ISUZU MU-X LS 1.9 Ddi A/T
Colour: SPLASH WHITE



Partial Leather



18" Alloy wheels

Available in the following colours:



The LS trim level comes standard with generous levels of spec. Herewith a summary of the noteworthy specifications:

INTERIOR

New Dash Upper Design, New Leather Seat Design, New Armrest and Door Trim Design, Dark Upper Trim, New Steering Wheel Horn Pad Design with Piano Black and Satin Silver Finish, Storage Box, Urethane Gear Knob Trim, Partial Leather Seat Trim, 8-Way Power Adjustable Driver Seat & Lumbar Support, 4-way Power Adjustable Front Passenger Seat, Rear Seat Centre Armrest with 2 Cupholders, Lockable Glove Box with Illumination, Front and Rear USB Charge Ports and Power Windows with Driver One-Touch.

EXTERIOR

Rear Privacy Window, Power Tailgate Hands-Free Function on 3.0L Models - Manual Tailgate on 1.9L Models, Auto Rain-Sensing Front Wipers, New Multi-spoke Lightweight 18" Alloy Wheels, Side-Steps and Roof Rails, New Tailgate Garnish, ISUZU Badge Change, New Spoiler, New Combination Lamps, Lower Bumper, New MU-X Badge Design, New LED Headlamps, New Bumper Grille, New Front Bumper Cladding, New Front Fog Lamp Bezel & Newly Designed Air Curtain.

TECH

New 9" Touchscreen with RDS, New Colour 7" Driver's Display, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Surround-View Camera, 6 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.

SAFETY

7 x Airbags, Front & Rear Parking Distance Sensors, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Cruise Control, Side-Impact Bars (Front & Rear), Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution and an Anti-lock Braking System.

PERFORMANCE

Available in 1.9 and 3.0-litre Turbo Diesel Engine Matched with a 6-speed Automatic Transmission.

1.9 Available in 4x2 and 3.0 Available in 4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

MU-X LSE A/T

ISUZU MU-X LSE 3.0 Ddi A/T
4x2 & 4x4
Colour: MERCURY SILVER



Partial leather



18" Alloy wheels

Available in the following colours:



The LSE trim level comes standard with LS features as well as the following additional specifications:

INTERIOR

Piano Black Leather Gear Knob Trim, Auto Dimming Rear-View Mirror, Overhead console with map lamps and sunglass holder, Automatic Shift Paddles and Auto Climate Control with Rear Cabin Cooling Vents.

EXTERIOR

Power Lift Gate With Step Sensor and Control Switch, LED Front Fog lamps Bezel Magnetite and Rear LED Combination Taillights.

TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Surround-View Camera, 6 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.

SAFETY

Electric Park Brake with Auto Hold Function, Emergency Stop Signal, Passive Entry Start System (PESS), Remote Start Engine, Walk-away Auto Door Lock, Transponder Immobiliser System, Speed Sensitive Door Lock and ISOFIX Child Seat Attachment.

THE ADAS SAFETY PACKAGE

Blind Spot Monitor, Rear Cross-Traffic Alert and Rear Radar.

PERFORMANCE

Available with a 3.0-litre Turbo Diesel Engine matched with 6-Speed Automatic Transmission and a 4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

MU-X ONYX XT A/T

ISUZU MU-X ONYX XT
3.0 Ddi A/T 4x4
Colour: EIGER GRAY



Partial leather
with Red Stitching



20" Alloy XT Styling

Available in the following colours:



EIGER
GREY



MERCURY
SILVER



ONYX
BLACK



DOLOMITE
WHITE

The ONYX XT trim level comes standard with features from the LS and LSE trim levels, as well as the following additional specifications:

INTERIOR

Door Trim Ambient Lighting, 8-way Power Adjustable Driver Seat & 4-way Power Adjustable Front Passenger Seat, Heated Front Seats, Electric Power Assisted Steering (PAS) and a Power Socket with Auxiliary 220V.

EXTERIOR

Auto On/Off Headlamps, Automatic High Beam, Follow-Me-Home Headlamps, LED Daytime Running Lights (DRL) and 20" Alloy XT Styling Rims.

TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Rear-View Camera, 8 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.

SAFETY

Adaptive Cruise Control, Front Camera, Improved side pole impact, Passengers Occupant Detection Sensor, 8 Airbags, Multi Collision Brake, Height Adjustable 3 Point Seat Belts and Collapsible Steering Column.

THE ADAS SAFETY PACKAGE

Blind-Spot Monitor, Rear Cross-Traffic Alert, Rear Radar, Autonomous Emergency Brake, Forward-Collision Warning, Pedal Misapplication Mitigation, Manual Speed Limiter, Lane Departure Prevention, Lane Keep assist with emergency overtaking and oncoming (ELK), Lane Departure Warning and Driver Monitoring.

PERFORMANCE

Available with a 3.0-litre Turbo Diesel Engine matched with 6-Speed Auto Transmission and a 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.







- **24/7 CALL CENTRE:**
Toll-free within South Africa and also available in neighbouring countries.
- **TOWING SERVICE OR TECHNICAL ASSISTANCE:**
In the event of a vehicle breakdown, ISUZU will arrange for towing to the closest Dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an ISUZU Dealership or Roadside Assistance technician.

- **ACCOMMODATION OR RENTAL CAR:**
Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided.

A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account.

- **SAFETY AT ROADSIDE:**
Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection.
- **OVERNIGHT STORAGE:**
Will be provided for your vehicle if required.
- **REPATRIATION OF YOUR VEHICLE:**
Upon completion of repairs, to your home or closest Dealer, if further than 100 km from home.
- **FLAT TYRE ASSISTANCE:**
In the event of a flat tyre, we offer assistance with the tyre change.
- **KEYS LOCKED IN:**
Assistance provided here too.
- **FUEL ASSISTANCE:**
You pay only for the fuel supplied.
- **COMMUNICATION OF URGENT MESSAGES:**
Including assistance with directions to family members.
- **INFORMATION SERVICES:**
Explanation of vehicle warning systems, as well as location of closest Dealer, filling station or where to get a new tyre.

PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of 12 months / 15 000 km



ISUZU | *Driving Academy*



South Africa is a beautiful and unique country, and exploring it takes more than just a vehicle and driver's licence. If you are considering purchasing a lifestyle vehicle, come and experience a day at our ISUZU DRIVING ACADEMY to assist in your selection.

We will teach you to conquer the extraordinary, the exciting and the hazardous.

- One-day 4X4 Off-Road
- Two-day Advanced 4X4 Off-Road
- Defensive Advanced On-Road
- Truck Training
- Corporate, Team Building and Year-end Events



www.isuzu.co.za f X @ in

ISUZU
With you, for the long run

Disclaimer: The information contained in this brochure was accurate at the time of going to publication in May 2025. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your ISUZU Dealer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible and functionality will vary depending on the device. Mobile Data and SMS rates may apply and are the responsibility of the user. Please check your local road rules before using these functions.