

BLACK IS BACK

The all-new ISUZU



ALL-NEW ISUZU
IT'S A **D-MAX** THING
Take it to its limits

DOUBLE CAB SPECIFICATION

Introducing the All-New ISUZU X-RIDER

MODEL SHOWN: ISUZU X-RIDER BLACK 4x4 A/T

www.isuzu.co.za f X i n

ISUZU



STAND-OUT EXCLUSIVITY

The all-new ISUZU **X-RIDER BLACK**
LIMITED EDITION

Black isn't just a colour, it's a statement. It's power in motion, confidence on every road, and a presence that refuses to be ignored. The all-new ISUZU X-Rider Black Limited Edition embodies boldness, capability, and style proving that Black is Back in the most commanding way possible. With its striking blacked-out design, commanding presence, and legendary ISUZU capability, the X-Rider Black is engineered for those who don't just stand out but stand apart.

Unleash the power of Black. Only 150 units available, make your mark before it's gone.

The Limited-edition X-Rider Black isn't here to blend in, it's here to dominate. Finished in commanding Onyx Black with bold design upgrades and exclusive details, it transforms every drive into a statement of power, prestige, and distinction ensuring you don't just stand out, you stand apart. Equipped with our latest generation 1.9L turbo diesel engine. Gloss Black 18" Alloy, Sports Bar With "X" Emblem, Door Side Decal Unique Numbering Plaque and Gun Metallic Paint Accent.

ISUZU X-RIDER BLACK DOUBLE CAB SPECIFICATIONS

MODELS	1.9 DDI X-RIDER BLACK	1.9 DDI X-RIDER BLACK	1.9 DDI X-RIDER BLACK RHD
X-RIDER BLACK PACKAGE			
Body Side Decal	Standard	Standard	RZ4E-MID
Sports Bar With solid black plate and LASER CUT "X" (with red backing plate)	Standard	Standard	Standard
Paint Accent between Fascia and lower area grille	Standard	Standard	Standard
ENGINE			
Engine code	RZ4E-MID	RZ4E-MID	RZ4E-MID
Displacement (cc)	1898	1898	1898
No. of cylinders	4	4	4
Compression ratio	16.5:1	16.5:1	16.5:1
Bore x stroke (mm)	80 x 94.4	80 x 94.4	80 x 94.4
No. of valves	16	16	16
Power (kW) @ r/min	110 @ 3600	110 @ 3600	110 @ 3600
Torque (Nm) @ r/min	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600
Turbocharger	Standard	Standard	Standard
800 mm water depth protection	Standard	Standard	Standard
Pre-air cleaner	Standard	Standard	Standard
ACG (90A)	Standard	Standard	Standard
ACG with IBS (Intelligent Battery System)	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION ¹			
Combined Cycle (Litres/100 km)	7.4	7.4	7.6
Combined CO ₂ Emissions (g/km)	193	195	199
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	6 Speed Manual	6 Speed Automatic	6 Speed Automatic
Gear Ratio: 1st	4.942	3.600	3.600
Gear Ratio: 2nd	2.686	2.090	2.090
Gear Ratio: 3rd	1.527	1.488	1.488
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.687	0.687
Gear Ratio: 6th	0.634	0.580	0.580
Gear Ratio: Reverse	4.597	3.732	3.732
4WD Selector	-	-	Standard
Low Range Ratio	-	-	2.482
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km / hour	-	-	Standard
Axle Ratio: Final Drive	-	-	4.1
REAR DIFFERENTIAL			
Differential Lock	Standard	Standard	Standard
Axle Ratio: Final Drive	4.1	4.1	4.1
CHASSIS DESIGN			
Front Wheel Suspension	High Mounting	High Mounting	High Mounting
Rear Wheel Suspension	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
Shock Absorbers	Twintube Gas Pressurised	Twintube Gas Pressurised	Twintube Gas Pressurised
Suspension	High Ride	High Ride	High Ride
Skid Plate Guard Front	Standard	Standard	Standard
Skid Plate Guard Rear	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	-	-	Standard
Oil Pan Guard	Standard	Standard	Standard



WHEELS AND TYRES			
Tyre Size	265/60R18 AT	265/60R18 AT	265/60R18 AT
Wheels Size / Type	Alloy 18" x 7.5J-33, Gloss Black	Alloy 18" x 7.5J-33, Gloss Black	Alloy 18" x 7.5J-33, Gloss Black
Spare Wheel Size / Type	Alloy 18" x 7.5J-33, Gloss Black	Alloy 18" x 7.5J-33, Gloss Black	Alloy 18" x 7.5J-33, Gloss Black
Turning Circle (m)	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-		-

DIMENSIONS			
Length (mm)	5265	5265	5265
Width (mm)	1870	1870	1870
Height (mm)	1805	1805	1805
Wheelbase (mm)	3125	3125	3125
Front / Rear Track (mm)	1570 / 1570	1570 / 1570	1570 / 1570
Rear Overhang (mm)	1250	1250	1250
Ground Clearance (mm)	227	227	227
Loadbox Length (mm)	1495	1495	1495
Loadbox Width (mm)	1530	1530	1530
Loadbox Depth (mm)	490	490	490
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	24.0	24.0	24.0
Breakover Angle (°)	22.5	22.5	22.5
Wading Depth (mm)	800	800	800

MASS / CAPACITY			
Gross Axle Mass – Front (GA1) (kg)	1450	1450	1450
Gross Axle Mass – Rear (GA2) (kg)	1910	1910	1910
Gross Vehicle Mass (GVM) (kg)	3000	3000	3100
Gross Combined Mass (GCM) (kg)	5000	5000	5000
Tare Mass (kg)	1875	1900	1990
Payload (kg)	1070	1045	1055
Towing Capacity (kg): Unbraked Trailer²	750	750	750
Towing Capacity / Rating (kg): Braked Trailer²	2100	2100	2100
Fuel Tank Capacity (Litres)	76	76	76

LOADBOX FEATURES			
Anti-Lock Braking System (ABS)	4	4	4
Electronic Brake Force Distribution (EBD)	–	–	–

SAFETY FEATURES			
Anti-Lock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake Force Distribution (EBD)	Standard	Standard	Standard
Brake Assist System (BAS)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Hill Start Assist (HSA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Trailer Sway Control	Standard	Standard	Standard
Brake Override Accelerator (BOA)	Standard	Standard	Standard
Cruise control	Standard	Standard	Standard
Multi collision brake	-	-	-
Height adjustable 3-point front seat belts	Standard	Standard	Standard



SAFETY FEATURES (CONTINUED)			
Front seat centre lap belt (2 point)	-	-	-
Seat belt pretensioners	Standard	Standard	Standard
Fixed 3-point rear seat belts	Standard	Standard	Standard
Seat belt reminder	Driver & Passenger	Driver & Passenger	Driver & Passenger
Occupant detection sensorx	Passenger	Passenger	Passenger
Driver & Passenger airbags	Standard	Standard	Standard
Front seat side airbags	Standard	Standard	Standard
Curtain airbags	Standard	Standard	Standard
Knee airbag	Driver	Driver	Driver
Far side airbag	-	-	-
Side impact protection bars	Standard	Standard	Standard
Improve side pole impact	-	-	-
Collapsible steering column	Standard	Standard	Standard
Speed sensitive door lock	Standard	Standard	Standard
ISOFIX child seat attachment	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Parking distance sensors	Rear	Rear	Rear
Rear view camera	Standard	Standard	Standard
Front camera	-	-	-
Warning triangle kit	Standard	Standard	Standard
Emergency stop signal	Standard	Standard	Standard
Blind spot monitor	-	-	-
Rear cross traffic alert	-	-	-
Rear radar	-	-	-
Autonomous emergency brake	-	-	-
Forward collision warning	-	-	-
Pedal misapplication mitigation	-	-	-
Manual speed limiter	-	-	-
Lane departure warning	-	-	-
Lane keep assist	-	-	-
Lane departure prevention	-	-	-
Driver monitoring	-	-	-

SECURITY FEATURES			
Manual Door Locks	-	-	-
Remote-Controlled Central Locking	Standard	Standard	Standard
Remote Keyless Entry	Standard	Standard	Standard
Remote Engine Start	-	-	-
Passive Entry Start System (PRESS)	-	-	-
Child-Proof Rear Door Locks	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard
Ultrasonic Alarm	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard
Walk-Away Auto Door Lock	-	-	-

INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard



INTERIOR / EXTERIOR LIGHTING (CONTINUED)			
Front Fog Lamps	Standard, LED	Standard, LED	Standard, LED
Daytime Running Lights (DRL)	LED	LED	LED
Headlamps	LED	LED	LED
Headlamp Levelling	Manual	Manual	Manual
Headlamps 'ON' Warning Buzzer	Standard	Standard	Standard
Automatic On/Off Headlamp	-	-	-
Automatic High Beam	-	-	-
Turn Indicator Lamp on Door	-	-	-
Rear Taillights – Combination	LED	LED	LED
High-Mounted Centre Stop Lamp	LED	LED	LED
Rear Fog Lamps	-	-	-
Follow-Me-Home Headlamps	Standard	Standard	Standard

EXTERIOR FEATURES			
Front Wiper	Variable Intermittent	Variable Intermittent	Variable Intermittent
Radiator Grille	Gloss Black, Red Badge	Gloss Black, Red Badge	Gloss Black, Red Badge
Front Bumper	Body Colour	Body Colour	Body Colour
Rear Bumper	Body Colour	Body Colour	Body Colour
Front Bumper Cladding	-	-	-
Towbar	Standard (2.1T)	Standard (2.1T)	Standard (2.1T)
Exterior Door Handle	Black	Black	Black
Exterior Mirror	Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Black, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	Standard	Standard	Standard
Over Fender (Fender Flares)	-	-	-
Roof Rails	Standard	Standard	Standard
Sports Bar	Standard	Standard	Standard
Sports Hoop	-	-	-
Side-Steps	Standard, Black	Standard, Black	Standard, Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Body Colour	Body Colour
Cab Protector	-	-	-

INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air Conditioning	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisor	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver with Ticket Holder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (X2) and Sunglasses Holder	Standard	Standard	Standard
Digital Clock	Standard	Standard	Standard
Multi-Information Display (MID)	Standard with X Mark	Standard with X Mark	Standard with X Mark
Dashboard Illumination Control	Standard	Standard	Standard
Power Socket – Auxiliary 12V IP Mounted	1	1	1
Cigarette Lighter	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard



INTERIOR FEATURES(CONTINUED)			
Utility Box on Glove Box	Standard, High Type, X Mark with Red Gradation	Standard, High Type, X Mark with Red Gradation	Standard, High Type, X Mark with Red Gradation
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Steering Wheel Trim	Leather with Red ISUZU Badge/Stitching	Leather with Red ISUZU Badge/Stitching	Leather with Red ISUZU Badge/Stitching
Steering Wheel Multi-Functional Controls	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Gear Shift Trim	Urethane, Red Stitch Knob and Boot	Urethane, Red Stitch Knob and Boot	Urethane, Red Stitch Knob and Boot
Front Seat Configuration	2 x Bucket	2 x Bucket	2 x Bucket
Rear Seat Configuration	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40	Bench, Split Cushion 60:40
Seat Trim	Partial Leather X Mark on Headrest with Red Stitching	Partial Leather X Mark on Headrest with Red Stitching	Partial Leather X Mark on Headrest with Red Stitching
Seat Adjustment	6 Way Manual Driver	6 Way Manual Driver	6 Way Manual Driver
Storage Pockets behind Front Seats	Standard	Standard	Standard
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Release Handle	Black	Black	Black
Interior Trim Colours	Black Upper / Black Lower	Black Upper / Black Lower	Black Upper / Black Lower
A-pillar Assist Grip – Driver and Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grips	Driver & Passengers	Driver & Passengers	Driver & Passengers
Floor Trim	Carpet with Heel Pad & Tibia Pad, X-Rider Floor Mats	Carpet with Heel Pad & Tibia Pad, X-Rider Floor Mats	Carpet with Heel Pad & Tibia Pad, X-Rider Floor Mats
Floor Tunnel Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard
Driver Footrest	Standard	Standard	Standard
Rear Heater Duct	Standard	Standard	Standard
Rear Ventilation Duct	-	-	-
Storage Box	-	-	-
Window Operation	Power Front & Rear with Driver One Touch, Jam Protection	Power Front & Rear with Driver One Touch, Jam Protection	Power Front & Rear with Driver One Touch, Jam Protection
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Fuel Flap Remote Opener	Standard	Standard	Standard
Ventilator Grille with Shutter (Fin Shut)	Standard	Standard	Standard

INFOTAINMENT			
Audio System	AM/FM Radio, 7" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 7" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 7" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone
USB Port (Music Playback and Device Link)	Standard	Standard	Standard
USB Charge Port	Rear	Rear	Rear
Speakers	6	6	6
Antenna	Standard	Standard	Standard

OPTIONS			
17" Alloy Wheel	-	-	-
18" Alloy Wheel and 265 / 60 R 18 Tyre (All Terrain)	-	-	-
18" Alloy Wheel and 265 / 60 R 18 Tyre (H/T Terrain)	Available	Available	Available
Differential Lock	-	-	-
Hubcap Steel Wheel	-	-	-



OPTIONS (CONTINUED)			
Hubcap Alloy Wheel	-	-	-
Spare Tyre Steel	-	-	-
Spare Tyre Alloy	-	-	-
Sports Bar – Black	-	-	-
Sports Bar – Chrome	-	-	-
Rear Sliding Window	Available	Available	Available
Partial Leather Seat with Manual Adjustment	-	-	-
Body Colour Front Bumper	-	-	-
Body Colour Rear Bumper	-	-	-
Safari beige	-	-	-
Safari beige with black rear step	-	-	-
Sunset beige	-	-	-
Sunset beige with black rear step	-	-	-

WARRANTY / SERVICE INTERVALS			
Warranty and Roadside Assistance	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km
Anti-Corrosion Warranty	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km
Service Plan	5 years / 90 000 km	5 years / 90 000 km	5 years / 90 000 km

Notes:
 (#1) Fuel economy and CO₂ data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions, and the vehicle's equipment, condition and use.
 (#2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded.
 (e.g.: if a 3.0-litre Diesel is towing 3.500kg, its maximum Vehicle mass is 2.500kg in order to be within GCM).

COLOURS AND FINISHES

The all-new ISUZU X-RIDER is only available in ONXY Black.



Make your new ISUZU X- RIDER even more you, by speaking to your ISUZU Dealer Partner for ISUZU-approved accessories.



X-TRA STYLE

Stand out with the extra styling features, standard on the ISUZU X-RIDER BLACK.



ISUZU | DRIVING ACADEMY



South Africa is a beautiful and unique country, and exploring it takes more than just a vehicle and driver's licence. If you are considering purchasing a lifestyle vehicle, come and experience a day at our ISUZU DRIVING ACADEMY to assist in your selection.

We will teach you to conquer the extraordinary, the exciting and the hazardous.

- One-day 4X4 Off-Road
- Two-day Advanced 4X4 Off-Road
- Defensive Advanced On-Road
- Truck Training
- Corporate, Team Building and Year-end Events

TRUECARE


PEACE OF MIND FOR YOU & YOUR ISUZU

- **24/7 CALL CENTRE:**
TOLL-FREE WITHIN SOUTH AFRICA AND ALSO AVAILABLE IN NEIGHBOURING COUNTRIES.

- **TOWING SERVICE OR TECHNICAL ASSISTANCE:**
IN THE EVENT OF A VEHICLE BREAKDOWN, ISUZU WILL ARRANGE FOR TOWING TO THE CLOSEST DEALERSHIP FOR DIAGNOSIS AND REPAIRS. WHERE POSSIBLE, ROADSIDE REPAIR WILL BE CARRIED OUT, WITH THE ASSISTANCE OF AN ISUZU DEALERSHIP OR ROADSIDE ASSISTANCE TECHNICIAN.

- **ACCOMMODATION OR RENTAL CAR:**
SHOULD YOU BE STRANDED FURTHER THAN 100 KM FROM YOUR HOME OR DESTINATION DUE TO THE BREAKDOWN OR RESULTING REPAIR WORK, A FREE RENTAL CAR OR FREE OVERNIGHT ACCOMMODATION WILL BE PROVIDED.

A FUEL DEPOSIT (FULLY REFUNDABLE ON RETURN OF THE VEHICLE WITH A FULL TANK) IS PAYABLE FOR RENTAL CARS SUPPLIED, WHILE FUEL AND TOLL COSTS INCURRED

DURING THE RENTAL ARE FOR YOUR OWN  ACCOUNT.

- **SAFETY AT ROADSIDE:**
SHOULD YOU FEEL UNSAFE, A SECURITY VEHICLE (DEPENDING ON AVAILABILITY) WILL BE DISPATCHED FOR YOUR PROTECTION.
- **OVERNIGHT STORAGE:**
WILL BE PROVIDED FOR YOUR VEHICLE IF REQUIRED.
- **REPATRIATION OF YOUR VEHICLE:**
UPON COMPLETION OF REPAIRS, TO YOUR HOME OR CLOSEST DEALER, IF FURTHER THAN 100 KM FROM HOME.
- **FLAT-TYRE ASSISTANCE:**
IN THE EVENT OF A FLAT TYRE, WE OFFER ASSISTANCE WITH THE TYRE CHANGE.
- **KEYS LOCKED IN:**
ASSISTANCE PROVIDED HERE TOO.
- **FUEL ASSISTANCE:**
YOU PAY ONLY FOR THE FUEL SUPPLIED.



PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of 12 months / 15 000 km

www.isuzu.co.za f X @ in

ISUZU

Disclaimer: The information contained in this document was accurate at the time of going to print in September 2025. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU Dealer for exact information.