MADE WITH SOUL





MAZDA CX-3





MADE WITH SOUL

From perfecting the rotary engine and winning the Le Mans race the first time we entered it, to breaking the world record for the most-sold two-seater convertible in history, we are driven forward by the desire to defy convention. We believe that if you can imagine it, we can make it happen.

This desire is the fuel behind everything we create and achieve and now, it has given us **SKYACTIV TECHNOLOGY**, **'KODO - Soul of Motion'** design and countless other successes that were once considered impossible feats. These pages show how striving to do what others cannot is not only rewarding but also integral to creating innovative, beautiful cars.



MAZDA CX-3

MAZDACX-3

Introducing the Mazda CX-3, the first Crossover that combines the stylish design of a hatchback with the versatility of an SUV. Based on the Japanese sense of beauty, we make the car feel like it's alive. Built with city driving in mind yet capable of taking on country roads, the Mazda CX-3 is equipped with the latest SKYACTIV TECHNOLOGY, giving it natural agility coupled with outstanding fuel efficiency. It's instantly clear that this Crossover is out of the ordinary; a creation of 'KODO – Soul of Motion' design. KODO is inspired by the instant when energy bursts into motion. It's the powerful grace of an animal pouncing, or a human leaping into action. Balancing athletic presence, streamlined simplicity and elegant detail, the Mazda CX-3 brings rare imagination to the Crossover.







STAY CONNECTED

MZD Connect presents a world of online infotainment and content on a 7-inch screen. MZD Connect is standard on Dynamic, Individual and Hikari models.



ENHANCED CONTROL

The multi-function commander control keeps your infotainment easily at hand, helping you to concentrate on driving while making selections.

Standard on Dynamic, Individual and Hikari models.

Staying connected in the Mazda CX-3 is simple when using the MZD Connect system with commander. Controls are where you naturally expect them to be. The MZD Connect system responds to a wider variety of needs by greatly improving the convenience of functions that require Bluetooth® connectivity, such as hands-free phone operation, reception of short text messages and Internet radio. Just as thoughtful is the multi-function commander, which allows complete control while on the move with minimum distraction. MZD Connect is standard on Dynamic, Individual and Hikari models.

COCEDIT

EFFICIENCYTO GET EXCITED BY

Mazda is committed to reducing the environmental impact of our vehicles, yet we'd never want to compromise the driving enjoyment that's core to our DNA. In answering this challenge, we arrived at a breakthrough - SKYACTIV TECHNOLOGY. In every way imaginable, the Mazda CX-3 has been created to unlock efficiency and unleash performance potential. i-Stop cleverly saves fuel by turning off the engine when you come to a stop, positioning it perfectly for a quick restart. i-Stop is standard on Active Auto, Dynamic, Individual and Hikari models.





SKYACTIV-G 2.0L PETROL ENGINE

A new-generation internal combustion engine generates more performance from less fuel thanks to a precise multi-hole direct injection system. A unique piston design improves combustion to boost power and lower emissions. Reduced friction liberates extra power, while a 4-2-1 exhaust layout lifts efficiency. The 4-cylinder engine delivers a sporty 115 kW of power and 206 Nm of torque, using as little as 6.7 litres of fuel every 100 km (combined).



SKYACTIV-BODY

We've applied the high standards of Takumi craftmanship to the Mazda CX-3, like all our Mazda cars. The new-generation design and materials reduce mass while achieving high rigidity. Key joints are strengthened by advanced techniques requiring no heavy reinforcement. High and ultra-high tensile steel cuts weight and boosts strength. Despite being light, the Mazda CX-3 delivers world-class collision protection.



SKYACTIV-CHASSIS

The sense of 'oneness' between car and driver is amplified through careful optimisation throughout. Agility and refinement are ensured by a lightweight front strut and rear torsion beam suspension, employing firm bushings and precise geometry. Electric power-assisted steering delivers secure yet responsive handling and also saves fuel.



SKYACTIV-DRIVE AUTOMATIC TRANSMISSION

We want you to feel connected to the Mazda CX-3, so you can drive in a way that feels completely natural. The 6-speed automatic transmission combines the best aspects of conventional automatic, continuously variable and dual-clutch transmissions. It connects directly with the engine across a far wider range than other automatics for increased fuel economy and more direct power delivery.



SKYACTIV MANUAL TRANSMISSION

The Mazda CX-3 helps you to be the best driver you can be. The 6-speed SKYACTIV manual transmission delivers accurate, sports-car style shifting through simplified design and a precision mechanism. More compact and lighter than comparable transmissions, it significantly cuts friction to improve fuel economy.



MAZDA CX-3 2.0L ACTIVE (MANUAL & AUTO)

ACTIVE FEATURES INCLUDE:

- Power (kW): 115
- Torque (Nm): 206
- i-Stop (Standard from 2.0L Active Auto)
- Power folding mirrors
- Manual air-conditioning
- Electronic Parking Brake (EPB)
- Radio CD player/AUX jack/1 USB port
- 4 Speakers
- Bluetooth® hands-free system
- Multi-function steering wheel with audio controls

- Cruise control
- Front centre console armrest
- Power windows (front & rear)
- Power windows one touch system (driver)
- Smart keyless push-button engine start
- Height adjustable seat driver
- ISOFIX
- Shark fin antenna
- 16" Alloy wheels (Silver)





MAZDA CX-3 2.0L DYNAMIC (MANUAL & AUTO)

FEATURES ADDITIONAL TO ACTIVE INCLUDE:

- Auto headlamps
- Front LED fog lamps
- Front rain-sensing wipers
- MZD Connect system
- 7-Inch display screen
- Commander dial
- USB connectivity ports 2 ports
- Apple Carplay™ & Android Auto™
- Internet radio integration (Pandora®, Stitcher & Aha™)

- 6-Speaker sound system
- Leather-wrapped: steering wheel, gearshift knob & handbrake handle
- Auto paddle transmission switches
- Air-conditioning (automatic)
- Sunglasses holder
- Rear centre seat armrest with cupholders
- Auto dimming rear-view mirror
- Smart advanced keyless entry
- Parking sensors rear





MAZDA CX-3 2.0L INDIVIDUAL (AUTO)

FEATURES ADDITIONAL TO DYNAMIC INCLUDE:

- LED headlamps
- Daytime Running Lamps (DRL)
- Rear Combination Lamps (RCL)
- Parking sensors rear
- Reverse camera
- Head-Up Display (HUD)
- Seat trim black leather

- BOSE[®] sound system
- 7-Speaker sound system with subwoofer
- Integrated navigation
- Auto fold mirrors (exterior)
- Sunroof power slide & tilt glass
- Chrome side door garnish
- 18" Alloy wheels (Gunmetal)





MAZDA CX-3 2.0L HIKARI (AUTO)

FEATURES ADDITIONAL TO INDIVIDUAL INCLUDE:

- Adaptive LED Headlamps (ALH)
- Blind Spot Monitoring (BSM)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)

- Driver Attention Alert (DAA)
- Smart City Brake Support (SCBS)
- Parking sensors front & rear
- 18" Alloy wheels (Bright)




INTERIOR TRIM

ACTIVE



Black Cloth

DYNAMIC



Black Cloth

INDIVIDUAL AND HIKARI



Black Leather

ALLOY WHEELS

ACTIVE AND DYNAMIC



16" Alloy wheels (Silver)

INDIVIDUAL



18" Alloy wheels (Gunmetal)

HIKARI



18" Alloy wheels (Bright)

SAFETY FEATURES

CONFIDENCE-INSPIRING SAFETY

The Mazda CX-3 comes with a suite of safety features that are primed for anything. Its light weight delivers sporty performance, yet its body is immensely strong. Multiple load paths divert crash energy from the occupant cell, helping to achieve world-class collision safety. Six SRS airbags are integrated, including front, side (front) and curtain (front and rear).

G-VECTORING CONTROL (GVC)

The 2.0 litre SKYACTIV engine introduces G-Vectoring Control (GVC), the first innovation from the SKYACTIV-VEHICLE DYNAMICS series technology. By finely controlling engine torque, based on the steering and acceleration of the driver, GVC improves both handling for the driver and ride quality for the passengers around corners.



LANE DEPARTURE WARNING (LDW)

The Lane Departure Warning system (LDW) detects line markings on the road surface and warns the driver of unintentional lane departures. This system is particularly effective in situations where the road is continuously straight and drivers have a tendency to not pay sufficient attention to the road.

Standard on Hikari models.



SMART CITY BRAKE SUPPORT (SCBS)

The Smart City Brake Support system (SCBS) is a safety feature that helps prevent or lessen low-speed impacts. The system monitors the vehicle in front to assess the possibility of a collision at forward speeds of 4 - 80 km/h. In an event that the system detects a high-risk impact, it then issues visual and audible warnings and primes the brakes for a faster response should the driver brake.

Standard on Hikari models.





Driver Attention Alert (DAA) is designed to reduce accidents caused by inattentiveness due to driver fatigue. The system is activated at speeds above 65 km/h and begins to 'learn' the driver's habits, watching inputs and the vehicle's movements in the early stages before fatigue is a factor. Later, if the system detects changes in vehicle behaviour that suggests the driver may be losing concentration, it will suggest a rest stop by sounding a chime and displaying a warning in the Head-Up Display (HUD).

Standard on Hikari models.



BLIND SPOT MONITORING (BSM)

The Blind Spot Monitoring (BSM) uses radars mounted in the rear bumper to detect vehicles approaching from behind and in the adjacent lane; an audible alert is triggerd in the event that a vehicle is detected in your vehicle's blind spot and assists the driver by scanning the external mirrors' blind spots. The radar is able to detect any unseen vehicles and through an LED icon, alert the driver to help avoid making hazardous lane changes.

Standard on Hikari models.



ADAPTIVE LED HEADLAMPS (ALH)

Individual control of several LEDs allows precise adjustment of the lighting pattern. The system automatically broadens visibility at low speeds, shapes the high beam to help avoid dazzling other drivers and raises beam height at highway speeds to extend vision area.

Standard on Hikari models.



HEAD-UP DISPLAY (HUD)

Mazda's Head-Up Display (HUD) shows important driving information like current speed, next turn directions from the integrated navigation and safety alerts. It is positioned directly in front of the driver, which means it feeds you all the information without you needing to take your eyes off the road. You can adjust the height at the display to match your eyeline.

Standard on Individual and Hikari models.

SPECIFICATIONS

Mazda CX-3	a CX-3 2.0 Active		2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Powertrain						
Engine type	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G)	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-Stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-Stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-Stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-Stop	2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) with i-Stop
Bore and stroke	83.5 x 91.2					
Compression ratio	13.0:1	13.0:1	13.0:1	13.0:1	13.0:1	13.0:1
Engine capacity	1998	1998	1998	1998	1998	1998
Transmission	6-Speed Manual	6-Speed Auto	6-Speed Manual	6-Speed Auto	6-Speed Auto	6-Speed Auto
Power (kW @ rpm)	115 @ 6000	115 @ 6000	115 @ 6000	115 @ 6000	115 @ 6000	115 @ 6000
Torque (Nm @ rpm)	206 @ 2800	206 @ 2800	206 @ 2800	206 @ 2800	206 @ 2800	206 @ 2800
CO ₂ emissions (g/km)	160	155	154	155	155	155
Emissions standard	Euro stage IV					
Fuel consumption - combined (L/100km)	6,9	6,7	6,6	6,7	6,7	6,7
Fuel tank capacity (L)	48	48	48	48	48	48
Top speed (km/h)	202	197	202	197	197	197
Transmission						
Туре	6-Speed Manual	6-Speed Auto	6-Speed Manual	6-Speed Auto	6-Speed Auto	6-Speed Auto
Gear ratio 1st	3,363	3,552	3,363	3,552	3,552	3,552
Gear ratio 2 nd	1,947	2,002	1,947	2,002	2,002	2,002
Gear ratio 3 rd	1,300	1,452	1,300	1,452	1,452	1,452
Gear ratio 4 th	1,029	1,000	1,029	1,000	1,000	1,000
Gear ratio 5 th	ratio 5 th 0,837		0,837	0,708	0,708	0,708
Gear ratio 6 th	ratio 6 th 0,680		0,680	0,599	0,599	0,599
Reverse	erse 3,385		3,385	3,893	3,893	3,893
Final drive	4,105	4,325	4,105	4,325	4,325	4,325

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Chassis						
Suspension type - front	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut
Suspension type - rear	Torsion beam axle	Torsion beam axle	Torsion beam axle	Torsion beam axle	Torsion beam axle	Torsion beam axle
Brake type - front	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Brake type - rear	Solid disc	Solid disc	Solid disc	Solid disc	Solid disc	Solid disc
Diameter front (mm)	280	280	280	280	280	280
Diameter rear (mm)	281	281	281	281	281	281
Electronic power-assisted steering	Std	Std	Std	Std	Std	Std
Turning circle curb to curb (m)	10,6	10,6	10,6	10,6	10,6	10,6
Weights and Capabilities						
Gross Vehicle Mass (kg)	1,643	1,728	1,670	1,728	1,735	1,735
Towing mass (kg) braked	850	850	850	850	850	850
Towing mass (kg) unbraked	630	650	635	650	655	655
Luggage volume (L)	264	264	264	264	264	264
Exterior Dimensions (mm)						
Length (mm)	4,275	4,275	4,275	4,275	4,275	4,275
Width (mm)	1,765	1,765	1,765	1,765	1,765	1,765
Height (mm)	1,550	1,550	1,550	1,550	1,550	1,550
Wheelbase (mm)	2,570	2,570	2,570	2,570	2,570	2,570
Front track (mm)	nt track (mm) 1,525		1,525	1,525	1,525	1,525
Rear track (mm)	ar track (mm) 1,520		1,520	1,520	1,520	1,520
Front overhang (mm)	ont overhang (mm) 910		910	910	910	910
Rear overhang (mm)	795	795	795	795	795	795

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Ground clearance - laden/ unladen (mm)	155/160	155/160	155/160	155/160	155/160	155/160
Exterior						
Headlamps	Halogen	Halogen	Halogen	Halogen	LED	LED
Daytime Running Lamps (DRL)	-	-	-	-	•	•
Headlamps auto on/off function	-	-	•	•	•	•
Adaptive LED Headlamps (ALH)	-	-	-	-	-	•
Front fog lamps (LED)	-	-	•	•	•	•
Rear Combination Lamps (RCL)	-	-	-	-	•	•
Power sliding and tilt glass sunroof	-	-	-	-	•	•
Parking sensors	-	-	Rear	Rear	Rear	Front & Rear
Reverse camera (back-up monitor)	-	-	-	-	•	•
Power fold mirrors	•	•	•	•	•	•
Auto fold mirrors	-	-	-	-	•	•
Smart advanced keyless entry	-	-	•	•	•	•
Side door garnishing	Black	Black	Black	Black	Chrome	Chrome
Privacy glass (rear side and back)	-	-	-	-	•	•
Front rain-sensing wipers	-	-	•	•	•	•
Rear wiper with intermittent function	•	•	•	•	•	•
Interior						
Air-conditioning	Manual	Manual	Auto	Auto	Auto	Auto

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Interior						
Cruise control	•	•	•	•	•	•
Electronic Park Brake (EPB)	•	•	•	•	•	•
Auto dimming rear-view mirror	-	-	•	•	•	•
Power windows (front and rear)	•	•	•	•	•	•
Power window one-touch system (driver)	•	•	•	•	•	•
Door pockets (front and rear)	•	•	•	•	•	•
Instrument panel light dimmer	•	•	•	•	•	•
Interior illumination: cargo room lamp	•	•	•	•	•	•
Map reading spot lamps	•	•	•	•	•	•
Leather-wrapped steering wheel	-	-	•	•	•	•
Leather-wrapped gearshift knob	-	-	•	•	•	•
Tilt and telescopic adjustable steering wheel	•	•	•	•	•	•
Trip computer	•	•	•	•	•	•
Overhead sunglasses storage box	-	-	•	•	•	•
Front centre console armrest	•	•	•	•	•	•
Rear centre seat armrest with cupholders	-	-	•	•	•	•
Seat trim - black cloth	•	•	•	•	-	-
Seat trim - black leather	-	-	-	-	•	•

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto							
Seat - rear fold down (60:40 split)	•	•	•	•	•	•							
Smart keyless push-button engine start	•	•	•	•	•	•							
Head-Up Display (HUD)	-	-	-	-	•	•							
Vanity mirrors (front)	•	•	•	•	•	•							
Infotainment													
MZD Connect system	-	-	•	•	•	•							
- 7-Inch display screen	-	-	•	•	•	•							
- Commander dial	-	-	•	•	•	•							
- Apple Carplay™ & Android Auto™	-	-	•	•	•	•							
- USB connectivity port/s	1	1	2	2	2	2							
 Bluetooth® hands-free system 	-	-	•	•	•	•							
- CD player	•	•	•	•	•	•							
- AUX jack	•	•	•	•	•	•							
Mazda Standard Radio	•	•	-	-	-	-							
Integrated navigation	-	-	۰	۰	•	•							
BOSE [®] speaker system	-	-	-	-	•	•							
Speaker quantity	4	4	6	6	7	7							
Multi-function steering wheel with audio controls	•	•	•	•	•	•							
Safety and Security													
Airbags SRS: driver, passenger, side and curtain	•	•	•	•	•	•							

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Safety and Security						
Anti-lock Braking System (ABS)	•	•	•	•	•	•
Burglar alarm system	•	•	•	•	•	•
Child restraint anchor points	•	•	•	•	•	•
Dynamic Stability Control (DSC)	•	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•	•
Engine immobiliser	•	•	•	•	•	•
Hill Launch Assist (HLA)	•	•	•	•	•	•
Blind Spot Monitoring (BSM)	-	-	-	-	-	•
Rear Cross Traffic Alert (RCTA)	-	-	-	-	-	•
Lane Departure Warning (LDW)	-	-	-	-	-	•
Smart City Brake Support (front and rear)	-	-	-	-	-	•
Driver Attention Alert (DAA)	-	-	-	-	-	•
High mount stop lamp	•	•	•	•	•	•
Remote central locking	•	•	•	•	•	•
Seat-belt warning (driver and passenger)	•	•	•	•	•	•
Seat-belts 3-point lap-sash (all seats)	•	•	•	•	•	•
Seat-belts with pre-tensioners (front), load-limiters and height-adjustable shoulder anchorages	•					

Mazda CX-3	2.0 Active	2.0 Active Auto	2.0 Dynamic	2.0 Dynamic Auto	2.0 Individual Auto	2.0 Hikari Auto
Safety and Security						
Side impact door beams	•	•	•	•	•	•
Super lock system	•	•	•	•	•	•
Whiplash-minimising front seats		•	•	•	•	•
Wheels and Tyres						
Alloy wheels	Silver	Silver	Silver	Silver	Gunmetal	Bright
Tyre size	215/60/R16	215/60/R16	215/60/R16	215/60/R16	215/50/R18	215/50/R18
Wheel size	16 x 6.5 J	18 x 7.0 J	18 x 7.0 J			
Spare tyre type	Temporary (steel)					
MazdaCare						
Service plan	3 Years/ Unlimited km					
Service intervals	15 000km					
Warranty	3 Years/ Unlimited km					
Roadside assistance	3 Years/ Unlimited km					

- = Standard
- = Optional
- = Not available

Disclaimer: Information and specs are based on the latest product information available at time of publication and might not meet RSA spec. Mazda Southern Africa (Pty) Ltd reserves the right to make changes without notice in product content and price at any time. For the latest details, always contact your Mazda dealer. Copyright subsists in this material, and permission to duplicate any part thereof should be sought from Mazda Southern Africa. Compilation date: September 2020. Terms and conditions apply.

COLOUR RANGE



3-YEAR MAZDA UNLIMITED KILOMETRE WARRANTY

Every Mazda is designed and built to the highest standards of performance and reliability. For reassurance, our Mazda vehicles are backed up by a 3-year Unlimited Kilometre Factory Warranty.

3-YEAR MAZDACARE ROADSIDE ASSISTANCE

Mazda cares about your peace of mind. That's why we offer a 3-year Unlimited Roadside Assistance Plan. It includes toll-free calls and services such as emergency medical help and free towing rescue due to minor or major mishaps.

3-YEAR MAZDACARE UNLIMITED KILOMETRE SERVICE PLAN

MazdaCare has designed a service plan to suit your needs. It covers scheduled services for 3 years, regardless of your mileage.

The service plan operates alongside the Mazda Unlimited Kilometre Warranty.

MAZDA MAINTENANCE CHECK SHEET

Petrol and Diesel Vehicle Check Sheet

	SERVICE INTERVAL IN 15 000 KM																	
Distance and Time Maintenace Intervals	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
GASOLINE ENGINES																		
Fuel filter				R				R				R				R		
Spark plugs								R								R		
Deposit cleaner (SKYACTIV engines only)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Evaporative system (if installed)	I	ı	I	I	I	ı	I	I	I	I	I	I	ı	I	I	I	I	I
DIESEL ENGINES																		
Valve clearance (Where applicable)				S				S				S				S		
Fuel filter		R		R		R		R		R		R		R		R		R
Fuel injection system*(1)	I			I			I			I			- 1			I		
GASOLINE AND DIESEL ENGINES																		
Drive belts*(2)	I	I	ı	I	I	I	I	I	I	I	I	I	ı	I	I	I	ı	I
Engine oil*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Engine oil filters*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Cooling system	I	1	I	I	I	ı	I	I	I	I	I	I	I	I	I	I	I	I
Engine coolant*(4)		Replace at first 200 000 km or 10 years and every 100 000 km or 5 years after the initial replacement.																
Air filter*(5)	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R
Cabin air filter. pollen filter, cooling unit filter*(5)	I	R	I	R	I	R	I	R	- 1	R	I	R	- 1	R	I	R	I	R
Fuel lines and hoses	I	I	I	I	I	I	I	I	- 1	I	I	I	I	I	I	I	I	I
Battery electrolyte level and specific gravity*(6)	I	ı	I	I	I	ı	I	I	I	I	I	I	ı	I	I	ı	I	I
Brake lines, pipes, hoses and connections	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Brake fluid*(7)	I	I	I	I	I	R	I	I	I	I	I	R	I	I	I	I	I	R
Parking brake	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Power brake unit	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Disc brakes	I	I	- 1	I	- 1	I	I	ı	- 1	I	ı	I	ı	ı	I	ı	I	ı
Steering operation and linkages	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Manual transmission/gearbox oil	- 1	I	- 1	R	I	I	I	R	I	I	I	R	I	- 1	I	R	I	I
Differential oil*(8)*(9)	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	R	I	I
Automatic transmission/gearbox oil	- 1	I	- 1	I	I	- 1	I	R	I	I	I	I	I	- 1	I	R	I	I
Front and rear suspension, ball joints, stabilizers, alignment	I	I	- 1	ı	- 1	- 1	I	ı	- 1	ı	ı	I		ı	I	ı	- 1	I
Drive shafts, propeller shafts, dust boots, CV joints	I	ı	I	I	I	ı	ı	I	I	I	ı	I	ı	ı	I	ı	ı	I
Exhaust system and heat shields	I	- 1	ı	I	I	I	1	ı	I	ı	I	I	- 1	1	I	ı	ı	I
All body and chassis bolts and nuts	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
Body condition, corrosion, perforation, general condition	I	- 1	ı	I	I	I	1	ı	ı	1	1	I	- 1	1	I	ı	I	ı
Tires, including the spare wheel	I	- 1	I	I	I	I	1	I	I	I	1	I	- 1	1	I	I	I	ı
Tire rotation and wheel alignment*(10)	Every 15 000 km of 1 year																	

Service Inspection Symbols

- I Inspect
- R Replace
- C Clean S - Set
- T Tighten

Remarks

- *(1) Implement fuel injection amount correction.
- *(2) Also inspect all auxiliary belts, if installed. If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area.
 - b) Extended periods of idling continuous low-speed operation.
 - c) Short distance driving.
 - d) Operating the vehicle in extreme cold or hot conditions for long periods.
 - e) Driving the vehicle in mountainous conditions for long periods.

- *(3) If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area.
 - b) Extended periods of idling or continuous low-speed operation.
 - c) Short distance driving.
 - d) Operating the vehicle in extreme cold or hot conditions for long periods.
 - e) Driving the vehicle in mountainous conditions for long periods.
- *(4) Use only manufacturer-specified coolant.
- *(5) If the vehicle is operated in dusty or sandy areas, the filters must be inspected, cleaned or replaced more regularly (Servicing Dealer to advise customer accordingly).
- *(6) If operating the vehicle in extreme cold or heat, inspect electrolyte and specific gravity more regularly (Servicing Dealer to advise customer accordingly).

- *(7) Replace the brake fluid more regularly if the vehicle is continuously loaded, driven in mountainous conditions, exposed to hard driving conditions or operated in humid
- *(8) If the vehicle is subjected to the following conditions, the differential oil need to be replaced at 60 000 km.
- a) Towing.
- b) Driving in dusty conditions or in a mining area.
- c) Short distance driving.
- d) Operating the vehicle loaded continuously.
- e) Driving the vehicle in mountainous conditions for long periods.
- *(9) Replace if the component or vehicle was submerged.
- *(10) Perform wheel alignment more regularly if the vehicle is used on rougher road surfaces, driven off-road or on dirt roads (Servicing Dealer to advise customer accordingly).

MAZDA CX-3 2.0L SERVICE AND PRICING GUIDE

Take the guesswork out of service pricing. Use the service schedule guide below to view current service details and costs.



YOUR SERVICE SUMMARY

Mazda CX-3	Mazda CX-3 2.0 Petrol Manual (This includes the Active Manual and Dynamic Manual)																
Service interval	15 000	30 000	45 000	60 000	75 000	90 000	105 000	120 000	135 000	150 000	165 000	180 000	195 000	210 000	225 000	240 000	255 000
Service cost*	R2 435,14	R3 707,14	R2 435,14	R4 576,13	R2 435,14	R4 088,94	R2 435,14	R9 381,42	R2 435,14	R3 707,14	R2 435,14	R4 762,43	R3 104,21	R3 707,14	R2 435,14	R9 381,42	R2 435,14
Parts	R402,60	R1 253,69	R402,60	R1 437,33	R402,60	R1 253,69	R402,60	R5 020,85	R402,60	R1 253,69	R402,60	R1 437,33	R984,40	R1 253,69	R402,60	R5 020,85	R402,60
Labour	R1 275,00	R1 530,00	R1 275,00	R1 700,00	R1 275,00	R1 700,00	R1 275,00	R2 295,00	R1 275,00	R1 530,00	R1 275,00	R1 700,00	R1 275,00	R1 530,00	R1 275,00	R2 295,00	R1 275,00
Consumables	R439,91	R439,91	R439,91	R841,91	R439,91	R601,91	R439,91	R841,91	R439,91	R439,91	R439,91	R1 003,91	R439,91	R439,91	R439,91	R841,91	R439,91

*VAT inclusive

Mazda CX-3 2	Nazda CX-3 2.0 Petrol Automatic (This includes the Active Automatic, Dynamic Automatic, Individual Automatic and Hikari Automatic)																
Service interval	15 000	30 000	45 000	60 000	75 000	90 000	105 000	120 000	135 000	150 000	165 000	180 000	195 000	210 000	225 000	240 000	255 000
Service cost*	R2 435,14	R3 898,98	R2 435,14	R4 582,08	R2 435,14	R4 085,28	R2 435,14	R9 967,76	R2 435,14	R3 898,98	R2 435,14	R4 768,38	R3 438,74	R3 898,98	R2 435,14	R9 967,76	R2 435,14
Parts	R402,60	R1 420,51	R402,60	R1 674,51	R402,60	R1 420,51	R402,60	R5 932,71	R402,60	R1 420,51	R402,60	R1 674,51	R1 275,30	R1 420,51	R402,60	R5 932,71	R402,60
Labour	R1 275,00	R1 530,00	R1 275,00	R1 870,00	R1 275,00	R1 530,00	R1 275,00	R2 295,00	R1 275,00	R1 530,00	R1 275,00	R1 870,00	R1 275,00	R1 530,00	R1 275,00	R2 295,00	R1 275,00
Consumables	R439,91	R439,91	R439,91	R439,91	R439,91	R601,91	R439,91	R439,91	R439,91	R439,91	R439,91	R601,91	R439,91	R439,91	R439,91	R439,91	R439,91

The total service price is the base scheduled maintenance, plus any additional scheduled maintenance items that are required. Base scheduled maintenance is due every 15,000 km but no longer than 12 months, whichever comes first.

- 1. Prices are subject to change without prior notice.
- 2. The suggested price in no way dictates what is charged at each individual Mazda Dealer and should, therefore, be treated as a guideline only. Consumables include the below: however, not all consumables are included on every service

LUBRICANTS & CONSUMABLES										
1. Engine Oil 2. Manual Gearbox/Transmission Oil 3. Rear Differential Oil 4. Front Differential Oil										
5. Mazda Deposit Cleaner 6. Automatic Gearbox/Transmission Oil 7. Brake Fluid 8. Anti-freeze										



MADE WITH SOUL





MAZDA CX-3



