



TOYOTA

LEAD THE WAY

**THE NEW MORE POWERFUL
FORTUNER
EXPERIENCE THE LUXURY OF FREEDOM**



FORTUNER

SPECIFICATIONS

	2.4 GD-6 RB MT	2.4 GD-6 RB AT	2.4 GD-6 4X4 AT	2.8 GD-6 RB AT	2.8 GD-6 4X4 AT	2.8 GD-6 RB VX AT	2.8 GD-6 4X4 VX AT
Engine and Drivetrain							
Maximum Power (kW @ r/min)	110 @ 3400	110 @ 3400	110 @ 3400	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400
Maximum Torque (Nm @ r/min)	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800
Differential Lock	•	•	•	•	•	•	•
Bore x Stroke (mm)	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Fuel System	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Turbo Charger	•	•	•	•	•	•	•
Fuel Consumption (Combined Cycle) (ℓ/100km)	6.8	7.2	7.6	7.6	7.9	7.6	7.9
CO ₂ Emission (g/km)	179	190	201	201	209	201	209
Transmission							
Transmission	6-Speed MT	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT
Driven Wheels	RWD	RWD	4WD / Part-Time	RWD	4WD / Part-Time	RWD	4WD / Part-Time
Starting System	Push Start	Push Start	Push Start	Push Start	Push Start	Push Start	Push Start
Paddle Shift	•	•	•	•	•	•	•
Suspension							
Front	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone	Double Wishbone
Rear	Multi-link - Fourlink	Multi-link - Fourlink	Multi-link - Fourlink	Multi-link - Fourlink	Multi-link - Fourlink	Multi-link - Fourlink	Multi-link - Fourlink
Wheels and Tyres							
Tyre Size	265 / 65R17 Alloy	265 / 65R17 Alloy	285 / 65R17 Alloy	285 / 60R18 Alloy	285 / 60R18 Alloy	285 / 60R18 Alloy	265 / 60R18 Alloy
Spare Wheel	Full Alloy	Full Alloy	Full Alloy	Full Alloy	Full Alloy	Full Alloy	Full Alloy
Body and Styling							
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Rear Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Door Outside Handles	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry
Headlights	LED	LED	LED	LED	LED	LED	LED
Daytime Running Lights (DRL)	•	•	•	•	•	•	•
Front Fog Lamp (LED)	•	•	•	•	•	•	•
Headlamp Levelling	•	•	•	•	•	•	•
Light Control System (Auto with Follow-Me-Home)	•	•	•	•	•	•	•
Rear Lights (LED)	•	•	•	•	•	•	•
Rear Fog Lamp	•	•	•	•	•	•	•
Side Mirrors	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / Welcome Lights / With Indicator / BSM	Colour Coded / Power / Retractable / Welcome Lights / With Indicator / BSM
Luggage Rear Door	•	•	•	Power	Power	Power	Power
Front Spoiler	•	•	•	•	•	•	•
Rear Spoiler	•	•	•	•	•	•	•
Roof Rails	•	•	•	•	•	•	•
Side Step	•	•	•	•	•	•	•
Interior, Comfort and Convenience							
4WD Indicator	•	•	•	•	•	•	•
4WD Selector	•	•	Switch	•	Switch	•	Switch
Seat Trim	Partial Leather - Black	Partial Leather - Black	Partial Leather - Black	Partial Leather - Black	Partial Leather - Black	Partial Leather - Black	Partial Leather - Black
Front Seat Adjustment & Reclining	•	•	•	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power
Front Seat Vertical Adjuster	•	•	•	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power
Seat Heater	•	•	•	•	•	Driver & Passenger Only	Driver & Passenger Only
2nd Row Seats	60:40	60:40	60:40	60:40	60:40	60:40	60:40
3rd Row Seats	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up
Rear View Mirror	Day & Night	Day & Night	Day & Night	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)
Steering Wheel	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Leather & Wood	4 Spoke / Leather & Wood	4 Spoke / Leather & Wood	4 Spoke / Leather & Wood
Power Steering	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control
Cruise Control	•	•	•	•	•	Adaptive - High Speed	Adaptive - High Speed
Air Conditioner	•	•	•	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone
Reverse Camera	Display Audio	Display Audio	Display Audio	Display Audio	Display Audio	Display Audio / Panoramic View Monitor	Display Audio / Panoramic View Monitor
Multi-Information Display (MID)	TFT Colour	TFT Colour	TFT Colour	TFT Colour	TFT Colour	TFT Colour	TFT Colour
Audio	Display Audio	Display Audio	Display Audio	Display Audio	Display Audio	Display Audio / JBL	Display Audio / JBL
Android Auto & Apple CarPlay	•	•	•	•	•	•	•
Bluetooth	•	•	•	•	•	•	•
USB	•	•	•	•	•	•	•
Speakers	6	6	6	6	6	11 (JBL)	11 (JBL)
Power Socket	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Rear - 12V / Boot - 12V / Rear - 220V	Front - 12V / Rear - 12V / Boot - 12V / Rear - 220V	Front - 12V / Rear - 12V / Boot - 12V / Rear - 220V	Front - 12V / Rear - 12V / Boot - 12V / Rear - 220V
Toyota Connect Enabled	•	•	•	•	•	•	•

	2.4 GD-6 RB MT	2.4 GD-6 RB AT	2.4 GD-6 4X4 AT	2.8 GD-6 RB AT	2.8 GD-6 4X4 AT	2.8 GD-6 RB VX AT	2.8 GD-6 4X4 VX AT
Safety and Security							
Anti-Theft System	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor
Auto Door Lock (Speed Dependent)	•	•	•	•	•	•	•
Child Restraint System (ISOFIX)	2	2	2	2	2	2	2
Driver, Front Passenger, Side, Driver-Knee & Curtain Airbags	•	•	•	•	•	•	•
Wireless Door Lock	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry
Pre-Crash System (Brake Synchronised)	•	•	•	•	•	•	•
Driver Support Systems							
Anti-Lock Braking System (ABS)	•	•	•	•	•	•	•
Brake-Assist (BA)	•	•	•	•	•	•	•
Electronic Brake-Force Distribution (EBD)	•	•	•	•	•	•	•
Vehicle-Stability Control (VSC)	•	•	•	•	•	•	•
Hill-Assist Control (HAC)	•	•	•	•	•	•	•
Downhill-Assist Control (DAC)	•	•	•	•	•	•	•
Trailer Sway Control (TSC)	•	•	•	•	•	•	•
Traction Control (TRC)	•	•	•	•	•	Active Traction Control (ATC) With Rear Cross Traffic Alert (RCTA)	Active Traction Control (ATC) With Rear Cross Traffic Alert (RCTA)
Blind Spot Monitor (BSM)	•	•	•	•	•	•	•
Panoramic View Monitor (PVM)	•	•	•	•	•	•	•
Park Distance Control (PDC)	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Lane Keeping System	•	•	•	•	•	Lane Departure Alert	Lane Departure Alert
Limited Slip Differential (LSD)	•	•	•	•	•	•	•
Drive Mode Select	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport
Service and Warranty							
Service Intervals (km)	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km
Service Plan	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Engine and Capacities							
Height (mm)	1835	1835	1835	1835	1835	1835	1835
Length (mm)	4795	4795	4795	4795	4795	4795	4795
Width (mm)	1855	1855	1855	1855	1855	1855	1855
Wheelbase (mm)	2745	2745	2745	2745	2745	2745	2745
Fuel Tank Size (ℓ)	80	80	80	80	80	80	80
Front Tread (mm)	1545	1545	1545	1545	1545	1545	1545
Rear Tread (mm)	1555	1555	1555	1555	1555	1555	1555
Gross Combination Mass (GCM)	5105	5105	5750	5110	5750	5110	5750
Gross Vehicle Mass (GVM)	2605	2605	2705	2610	2735	2610	2735
Turning Circle (Tyres, m)	5.8	5.8	5.8	5.8	5.8	5.8	5.8
Towing Capacity - Unbraked (kg)	750	750	750	750	750	750	750
Towing Capacity - Braked (kg)	2500	2500	3300	2500	3300	2500	3300
Approach Angle (°)	29.0	29.0	29.0	29.0	29.0	29.0	29.0
Departure Angle (°)	25.0	25.0	25.0	25.0	25.0	25.0	25.0

COLOUR SELECTOR



*Available on selected models

DISCLAIMER:

The information contained in this leaflet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

