

TOYOTA HILUX DOUBLE CAB



**WHEN THERE'S
TOUGH TO BE DONE**



Issued on: 2026/07/02



SPECIFICATIONS


	2.8 GD-6 4X4 LEGEND MHEV 6AT	2.8 GD-6 RB LEGEND MHEV 6AT	2.8 GD-6 4X4 RAIDER 6AT	2.8 GD-6 4X4 SRX 6AT	2.8 GD-6 RB SRX 6AT
Engine and Drivetrain					
A/T Oil Temp Warning	•	•	•	•	•
Differential Lock	Rear	Rear	Rear	Rear	Rear
Engine capacity (litre)	2.8	2.8	2.8	2.8	2.8
Fuel System	Diesel	Diesel	Diesel	Diesel	Diesel
Maximum Power (kW @ r/min)	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400
Maximum Torque (Nm @ r/min)	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Stabilizer	Front Only	Front Only	Front Only	Front Only	Front Only
Fuel Consumption (Combined Cycle) (l/100km)	7.5	7.5	7.6	7.6	7.6
C02 Emission (g/km)	197	197	200	200	200

Transmission					
Transmission	Automatic-6-speed	Automatic-6-speed	Automatic-6-speed	Automatic-6-speed	Automatic-6-speed
Driven Wheels	4WD Part-Time	RWD	4WD Part-Time	4WD Part-Time	RWD
Starting System	Push Start + Stop Start	Push Start + Stop Start	Push Start	Rotary (Mechanical)	Rotary (Mechanical)

Suspension					
Front	Independent Front Suspension (Coil)	Independent Front Suspension (Coil)	Independent Front Suspension (Coil)	Independent Front Suspension (Coil)	Independent Front Suspension (Coil)
Rear	Leaf-Spring	Leaf-Spring	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle


Wheels and Tyres					
Spare Wheel	Full Alloy	Full Alloy	Full Alloy	Full Steel	Full Steel
Tyre Size	F:265-60R18 Alloy- R:265-60R18Alloy	F:265-60R18 Alloy- R:265-60R18 Alloy	F:265-65R17 Alloy- R:265-65R17 Alloy	F:265-65R17 Steel- R:265-65R17 Steel	F:265-65R17 Steel- R:265-65R17 Steel

Body and Styling					
Antenna	Standard Shark Fin	Standard Shark Fin	Standard Shark Fin	Standard Shark Fin	Standard Shark Fin
Back Glass	Privacy	Privacy	Green Slide	Green Slide	Green Slide
Daytime Running Light	•	•	•	•	•
Door Outside Handles	Gloss - Black	Gloss - Black	Gloss - Black	Black	Black
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Front Fog Lamps	Standard LED	Standard LED	Standard LED	Standard LED	Standard LED
Front Grille	Painted	Painted	Painted	Painted	Painted
Front side Glass	Green	Green	Green	Green	Green
Headlamp Levelling	Standard Automatic	Standard Automatic	Standard Automatic	Standard Manual	Standard Manual
Headlights	LED - (High) - Welcome Lights	LED - (High) - Welcome Lights	LED - (High) - Welcome Lights	LED - (Base)	LED - (Base)
High-Mounted Brake Light	Standard LED	Standard LED	Standard LED	Standard LED	Standard LED
Light Control System	Standard, Guided Exit Lighting	Standard, Guided Exit Lighting	•	•	•
Rear Bumper	Black	Black	Black	Black	Black
Rear Fog Lamp	Standard LED	Standard LED	Standard LED	•	•




SPECIFICATIONS

	2.8 GD-6 4X4 LEGEND MHEV 6AT	2.8 GD-6 RB LEGEND MHEV 6AT	2.8 GD-6 4X4 RAIDER 6AT	2.8 GD-6 4X4 SRX 6AT	2.8 GD-6 RB SRX 6AT
Body and Styling					
Rear Lights	LED	LED	LED	Bulb Type	Bulb Type
Rear side Glass	Privacy	Privacy	Green	Green	Green
Side mirrors	Gloss Black,- Auto-Retractable, With Indicator, Power Retractable	Gloss Black,- Auto-Retractable, With Indicator, Power Retractable	Gloss Black, With Indicator, Power Retractable	Black, With Indicator, Power Retractable	Black, With Indicator, Power Retractable
Windshield Glass	Laminated, Green	Laminated, Green	Laminated, Green	Laminated, Green	Laminated, Green
Front Spoiler	•	•	•		
Side Step	Standard Black	Standard Black	Standard Black	Standard Black	Standard Black
Interior, Comfort and Convenience					
2nd Row Seats	Fixed	Fixed	Fixed	Fixed	Fixed
4WD Indicator	•		•	•	
4WD Selector	Standard Switch		Standard Switch	Standard Switch	
AT Shift Lock	Standard Reverse Warning	Standard Reverse Warning	Standard Reverse Warning	Standard Reverse Warning	Standard Reverse Warning
Centre Console	Standard Box	Standard Box	Standard Box	Standard Box	Standard Box
Cool Box	•	•			
Cupholders	•	•	•	•	•
Door Inside Handles	Silver	Silver	Silver	Black	Black
Door Pockets	Standard Front, Rear	Standard Front, Rear	Standard Front, Rear	Standard Front, Rear	Standard Front, Rear
Economy Meter	Standard Eco Bar	Standard Eco Bar	Standard Eco Bar	Standard Eco Bar	Standard Eco Bar
Floor Carpet Trim	Carpet	Carpet	Carpet	Carpet	Carpet
Front Headrest	Adjustable - 2	Adjustable - 2	Adjustable - 2	Adjustable - 2	Adjustable - 2
Front Personal Lamp	•	•	•	•	•
Glove Box	Lockable	Lockable	Lockable	Lockable	Lockable
Key Reminder Warning	•	•	•	•	•
Meter Illumination Control	•	•	•		
Rear Headrests	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Day & Night	Day & Night	Day & Night
Room Lamp	•	•	•	•	•
Seat Back Pockets	•	•	•	•	•
Seat Trim	Leather	Leather	Fabric	Fabric	Fabric
Shift Lever & Knob	Leather	Leather	Leather	Vinyl	Vinyl
Speedometer	Digital Tachometer	Digital Tachometer	Digital Tachometer	Analog Tachometer	Analog Tachometer
Steering Wheel	3 Spoke Leather	3 Spoke Leather	3 Spoke Leather	3 Spoke Urethane	3 Spoke Urethane
Airconditioner	Auto Dual zone	Auto Dual zone	Auto Dual zone	Manual	Manual




SPECIFICATIONS

	2.8 GD-6 4X4 LEGEND MHEV 6AT	2.8 GD-6 RB LEGEND MHEV 6AT	2.8 GD-6 4X4 RAIDER 6AT	2.8 GD-6 4X4 SRX 6AT	2.8 GD-6 RB SRX 6AT
Interior, Comfort and Convenience					
Audio System	JBL Display Audio, DAB, 12.3-inch	JBL Display Audio, DAB, 12.3-inch	Toyota Display Audio, DAB, 12.3-inch	Toyota Display Audio, DAB, 8-inch	Toyota Display Audio, DAB, 8-inch
Bluetooth	•	•	•	•	•
Cruise Control	Standard All Speed	Standard All Speed	•		
Electric Windows	All Auto Up Down + Jam Protection	All Auto Up Down + Jam Protection	All Auto Up Down + Jam Protection	All Auto Up Down + Jam Protection	All Auto Up Down + Jam Protection
Front Seat Adjustment	Driver Power & Passenger Manual	Driver Power & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual
Front Seat Reclining	Driver Power & Passenger Manual	Driver Power & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual
Front Seat Vertical Adjuster	Driver Power	Driver Power	Driver Manual	Driver Manual	Driver Manual
Light Remind Warning	•	•	•	•	•
Multi-Information Display	Standard 12.3-inch	Standard 12.3-inch	Standard 12.3-inch		
Power Socket	Front - 12V / Front - 220V	Front - 12V / Front - 220V	Front - 12V / Front - 220V	Front - 12V / Rear - 12V	Front - 12V / Rear - 12V
Power Steering	Electric / (EPS)	Electric / (EPS)	Hydraulic	Hydraulic	Hydraulic
Rear Armrest	Standard 2 Cupholders	Standard 2 Cupholders			
Reverse Camera	Display Audio/ Multi Terrain Monitor	Display Audio/ Panoramic View Monitor	BGM	BGM	BGM
Seat Lumbar Support	Driver 2-way	Driver 2-way			
Speakers	Standard 9	Standard 9	Standard 8	Standard 4	Standard 4
Steering Column Adjustments	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic
Steering Switches	Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control	Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control	Standard Audio, Telephone, Info Display, Voice Command	Standard Audio, Telephone, Info Display, Voice Command	Standard Audio, Telephone, Info Display, Voice Command
Sun Visor	Standard Ticket Holder Driver, Passenger Mirror with Cover	Standard Ticket Holder Driver, Passenger Mirror with Cover	Standard Ticket Holder Driver, Passenger Mirror with Cover	Standard Ticket Holder Driver + Passenger	Standard Ticket Holder Driver + Passenger
Toyota Connect Enabled	•	•	•	•	•
USB	•	•	•	•	•
Wireless Charger	Standard Front x1	Standard Front x1	Standard Front x1		
Toyota Connect	Standard, Remote Services, E-Call	Standard, Remote Services, E-Call	Standard, Remote Services, E-Call	Standard, Remote Services, E-Call	Standard, Remote Services, E-Call
USB Type C	Standard 4PCs	Standard 4PCs	Standard 4PCs	Standard 2PCs	Standard 2PCs
Toyota Remote	Standard	Standard	Standard	Standard	Standard
Safety and Security					
Airbag On-Off Switch	•	•	•	•	•
Airbags	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee	Side, Curtain, Driver, Passenger, Driver Knee
Anti-Theft System	Immobiliser Alarm / Intrusion Sensor / Ultra-Wide Band	Immobiliser Alarm / Intrusion Sensor / Ultra-Wide Band	Immobiliser Alarm / Intrusion Sensor / Ultra-Wide Band / Gearlock	Siren Alarm + Immobiliser / Intrusion Sensor / Gearlock	Siren Alarm + Immobiliser / Intrusion Sensor / Gearlock
Child Lock	•	•	•	•	•
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Emergency Brake Signal	Standard Hazard lamps	Standard Hazard lamps	Standard Hazard lamps	Standard Hazard lamps	Standard Hazard lamps
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc



SPECIFICATIONS


	2.8 GD-6 4X4 LEGEND MHEV 6AT	2.8 GD-6 RB LEGEND MHEV 6AT	2.8 GD-6 4X4 RAIDER 6AT	2.8 GD-6 4X4 SRX 6AT	2.8 GD-6 RB SRX 6AT
Safety and Security					
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Height Adjustable Seat Belt	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Occupant Detection	Front and Rear sensor	Front and Rear sensor	Front and Rear sensor	Front and Rear sensor	Front and Rear sensor
Parking Brake	Electric	Electric	Lever	Lever	Lever
Power Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock
Pre-Crash System (Brake Synchronised)	•	•			
Rear Brake	Ventilated Disc	Ventilated Disc	Drum	Drum	Drum
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front + Rear	Front + Rear	Front + Rear	Front + Rear	Front + Rear
Toyota Safety Sense	•	•			
Wireless Door Lock	Standard Smart + Panic + Buzzer	Standard Smart + Panic + Buzzer	Standard Smart + Panic + Buzzer	Standard Remote + Panic + Buzzer	Standard Remote + Panic + Buzzer
Driver Support Systems					
Anti-Lock Braking System (ABS)	•	•	•	•	•
Blind Spot Monitor (BSM)	Standard Safe Exit Assist	Standard Safe Exit Assist			
Brake Assist (BA)	•	•	•	•	•
Downhill Assist Control (DAC)	•		•		
Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Lane Keeping System	Standard Lane Trace Assist	Standard Lane Trace Assist			
Limited Slip Differential	•	•	•	•	•
Multi-Terrain Select (MTS)	•		•		
Park Distance Control	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Front + Rear		
Tyre Pressure Monitor	•	•	•		
Vehicle Stability Control (VSC)	•	•	•	•	•
Service and Warranty					
Hybrid Battery Warranty	8 years 160,000km	8 years 160,000km			
Service Interval	12 months / 10,000km	12 months / 10,000km	12 months / 10,000km	12 months / 10,000km	12 months / 10,000km
Service Plan	9 Services / 90,000km	9 Services / 90,000km	9 Services / 90,000km	9 Services / 90,000km	9 Services / 90,000km
Warranty	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km
Dimensions and Capacities					
Approach Angle (°)	29.0	29.0	29.0	29.0	29.0
Departure Angle (°)	25.0	25.0	25.0	25.0	25.0
Front Overhang (mm)	990	990	990	990	990
Front Tread (mm)	1540	1540	1540	1540	1540
Fuel Tank Size (L)	80	80	80	80	80




SPECIFICATIONS

	2.8 GD-6 4X4 LEGEND MHEV 6AT	2.8 GD-6 RB LEGEND MHEV 6AT	2.8 GD-6 4X4 RAIDER 6AT	2.8 GD-6 4X4 SRX 6AT	2.8 GD-6 RB SRX 6AT
Dimensions and Capacities					
Gross Combination Mass (GCM)	5900	5600	5900	5900	5600
Gross Vehicle Mass (GVM)	2950	2850	2950	2950	2800
Ground Clearance (mm)	312	312	312	312	312
Height (mm)	1865	1865	1865	1865	1865
Kerb Weight (kg)	2155	2055	2095	2090	1930
Length (mm)	5320	5320	5320	5320	5320
Rear Overhang (mm)	1245	1245	1245	1245	1245
Rear Tread (mm)	1555	1555	1550	1550	1550
Roof Loading Capacity (kg)	75	75	75	75	75
Towing Capacity - Braked (kg)	3500	2800	3500	3500	2800
Towing Capacity - Unbraked (kg)	750	750	750	750	750
Turning circle (tyres, m)	6.3	6.3	6.3	6.3	6.3
Wheelbase (mm)	3085	3085	3085	3085	3085
Width (mm)	1885	1885	1885	1855	1855
Top Speed (km/h)	176	176	176	176	176

LINE DRAWING







SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE

			
1D6 - Chromium Silver	3T6 - Arizona Red	5C7 - Desert Gold Metallic	6X1 - Oxide Bronze
			
040 - Glacier White	089 - Platinum White Pearl	218 - Attitude Black	1M2 - Ash Grey



Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

